



Carlisle's Flo-Pac® professional floor machine brushes are designed to make floor cleaning chores easier. Our rotary brushes and accessories are long-wearing and durable. Our power sweeper and scrubber replacement brushes are specifically produced for the industry's leading manufacturers' most popular models.

Product	Page	Product	Page
Alto-Clark American Lincoln Sweepers & Scrubbers	100-101	Rotary Brush Guide	81-84
Carpet Cleaning Brushes & Accessories	75-76	Scrubbing Brushes	70-72
Clutch Plates & Lugs	79-80	Scrubbing Sectional Brushes	72
Concrete Floor Preparation Tools	77-78	Stripping Brushes	68-69
Factory Cat/Tom Cat Sweepers & Scrubbers	102-103	Stripping Sectional Brushes	69
Machine Listing	85-95	Sweeper & Scrubber Replacement Brush, Bristle Pattern & Types & Brush Adjustment	97
Nilfisk-Advance Sweepers & Scrubbers	98-99	Tennant Scrubbers	106-107
Pad Drivers & Accessories	73-74	Tennant Sweepers	104-105
Polishing Brushes	73-74	Wood Floor Preparation Tools	79


floormachinebrushes

See Selecting the Proper Rotary Brush page 193A and Rotary Bristle Material Guide page 193B

STRIPPING BRUSHES

STRATA-GRIT® PLUS

- for scrubbing heavy soil from concrete floors and surfaces
- irregular bristle length to assure cleaning on uneven surfaces
- Rust colored .070" DuPont Tynex® A* Nylon fibers impregnated with 36 grit silicon carbide
- available in 11" - 20" diameter showerfeed blocks with 1-3/4" trim
- splash guard included
- available in sectional brushes for certain models, check chart on page 69



Strata-Grit® Plus

STRATA-GRIT®


- for aggressive scrubbing of concrete surfaces and aggressive stripping of resilient floors
- irregular bristle length to assure cleaning on uneven surfaces
- Blue colored .060" DuPont Tynex® A* Nylon fibers impregnated with 46 grit silicon carbide
- replaces high productivity pads
- available in 11" - 20" diameter showerfeed blocks with 1-3/4" trim
- splash guard included
- available in sectional brushes for certain models, check chart on page 69



Strata-Grit®

NYLO-GRIT®

- for aggressive scrubbing of concrete and stripping of resilient floors, terrazzo, and tile
- irregular bristle length to assure cleaning on uneven surfaces
- Green colored .050" Dupont Tynex® A* Nylon fibers impregnated with 80 grit silicon carbide
- replaces brown and black pads
- available in 9" - 21" diameter showerfeed blocks with 1-3/4" trim
- splash guard included
- available in sectional brushes for certain models, check chart on page 69



Nylo-Grit®

STEEL WIRE

- for stripping and scrubbing of rough concrete surfaces
- high carbon steel, 30 ga. wire fill
- available in 11" - 20" diameter blocks with 1-9/16" trim
- available in sectional brushes for certain models, check chart on page 69



Steel Wire

* Tynex® A Nylon is a registered trademark of E.I. DuPont DeNemours & Co., Inc.

STRIPPING BRUSHES

STRATA-GRIT® PLUS

Block Dia.	Previous Flo-Pac® Number	New Product Number
*9"	N/A	N/A
10"	N/A	N/A
11"	11000SP	361100G70
12"	12000SP	361200G70
12-1/2"	N/A	N/A
13"	13000SP	361300G70
13-1/2"	N/A	N/A
14"	14000SP	361400G70
15"	15000SP	361500G70
16"	16000SP	361600G70
16-1/2"	N/A	N/A
17"	17000SP	361700G70
18"	18000SP	361800G70
19"	19000SP	361900G70
20"	20000SP	362000G70
21"	N/A	N/A

STRATA-GRIT®

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
* 9"	N/A	—	N/A
10"	N/A	—	N/A
11"	11000ST	R1100X60500	361100G60
12"	12000ST	R1200X60500	361200G60
12-1/2"	N/A	—	N/A
13"	13000ST	R1300X60500	361300G60
13-1/2"	N/A	—	N/A
14"	14000ST	R1400X60500	361400G60
15"	15000ST	R1500X60500	361500G60
16"	16000ST	R1600X60500	361600G60
16-1/2"	N/A	—	N/A
17"	17000ST	R1700X60500	361700G60
18"	18000ST	R1800X60500	361800G60
19"	19000ST	R1900X60500	361900G60
20"	20000ST	R2000X60500	362000G60
21"	N/A	—	N/A

NYLO-GRIT®

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
* 9"	9000GN	—	360900G50
10"	10000GN	—	361000G50
11"	11000GN	R1100XS0500	361100G50
12"	12000GN	R1200XS0500	361200G50
12-1/2"	N/A	—	N/A
13"	13000GN	R1300XS0500	361300G50
13-1/2"	N/A	—	N/A
14"	14000GN	R1400XS0500	361400G50
15"	15000GN	R1500XS0500	361500G50
16"	16000GN	R1600XS0500	361600G50
16-1/2"	N/A	—	N/A
17"	17000GN	R1700XS0500	361700G50
18"	18000GN	R1800XS0500	361800G50
19"	19000GN	R1900XS0500	361900G50
20"	20000GN	R2000XS0500	362000G50
21"	21000GN	—	362100G50

STEEL WIRE

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
* 9"	N/A	—	N/A
10"	N/A	—	N/A
11"	11000WI	R1100XS0500	361100W30
12"	12000WI	R1200XS0500	361200W30
12-1/2"	N/A	—	N/A
13"	13000WI	R1300XS0500	361300W30
13-1/2"	N/A	—	N/A
14"	14000WI	R1400XS0500	361400W30
15"	15000WI	R1500XS0500	361500W30
16"	16000WI	R1600XS0500	361600W30
16-1/2"	N/A	—	N/A
17"	17000WI	R1700XS0500	361700W30
18"	18000WI	R1800XS0500	361800W30
19"	19000WI	R1900XS0500	361900W30
20"	20000WI	R2000XS0500	362000W30

* Available in wood block only



Stripping Sectionals

SECTIONALS

STRATA-GRIT® PLUS

	Previous Flo-Pac® Number	New Product Number
L250 (Am. Linc.)	L250SP	36L250G70
C240 (Clarke)	N/A	N/A
C260 (Clarke)	N/A	N/A
C370 (Clarke)	N/A	N/A
C380 (Clarke)	N/A	N/A
460 (Star)	N/A	N/A

STRATA-GRIT®

	Previous Flo-Pac® Number	New Product Number
L250 (Am. Linc.)	N/A	N/A
C240 (Clarke)	N/A	N/A
C260 (Clarke)	N/A	N/A
C370 (Clarke)	N/A	N/A
C380 (Clarke)	N/A	N/A
460 (Star)	460ST	36460G60

NYLO-GRIT®

	Previous Flo-Pac® Number	New Product Number
L250 (Am. Linc.)	L250GN	36L250G50
C240 (Clarke)	C240GN	36C240G50
C260 (Clarke)	C260GN	36C260G50
C370 (Clarke)	C370GN	36C370G50
C380 (Clarke)	C380GN	36C380G50
460 (Star)	N/A	N/A

STEEL WIRE

	Previous Flo-Pac® Number	New Product Number
L250 (Am. Linc.)	L250WI	36L250W30
C240 (Clarke)	C240WI	36C240W30
C260 (Clarke)	N/A	N/A
C370 (Clarke)	C370WI	36C370W30
C380 (Clarke)	N/A	N/A
460 (Star)	460WI	36460W30

Warning: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

SCRUBBING BRUSHES

SCRUB-GRIT® III

- for aggressive scrubbing of unsealed rough concrete
- irregular bristle length to assure cleaning on uneven surfaces
- Gray colored .035" Dupont Tynex® A* Nylon fibers impregnated with 180 grit silicon carbide
- specifically designed for unsealed rough concrete - such as parking ramps, garages, sidewalks, and warehouses, or anywhere rough concrete surfaces exist
- available in 11" - 19" diameter showerfeed blocks with 1-3/4" trim



Scrub-Grit® III

SCRUB-GRIT® II

- for medium to mildly aggressive scrubbing of resilient floors, non-slip flooring, terrazzo, quarry tile, and concrete
- irregular bristle length to assure cleaning on uneven surfaces
- Rust colored .022" DuPont Tynex® A* Nylon fibers impregnated with 120 grit silicon carbide
- replaces red and blue pads
- available in 11" - 20" diameter showerfeed blocks with 1" trim
- 5/8" riser included
- available in sectional brushes for certain models, check chart on page 72



Scrub-Grit® II

DYNA-SCRUB®

- for light to medium scrubbing of vinyl, sealed concrete, terrazzo, slate, and marble floors
- Blue colored .018" DuPont Tynex® A* Nylon fibers impregnated with 500 grit silicon carbide
- replaces red pads
- available in 11" - 20" diameter showerfeed blocks with 1" trim
- 5/8" riser included



Dyna-Scrub®

POLYPROPYLENE (POLY)

- for economical, general scrubbing
- .028" stiff bristles for general scrubbing, available in 10" - 21" diameter showerfeed blocks with 1-3/4" trim
- .022" medium bristles for light general scrubbing, available in 11"-20" diameter showerfeed blocks
- available in sectional brushes for certain models, check chart on page 72



Polypropylene

* Tynex® A Nylon is a registered trademark of E.I. DuPont DeNemours & Co., Inc.

SCRUBBING BRUSHES

NYLON

- long-wearing, general scrub rotary brush
- extra stiff .032" bristles for extra tough scrubbing, available in 12" - 20" diameter showerfeed blocks with 1-3/4" trim
- .028" stiff bristles for general scrubbing, available in 10" - 20" diameter showerfeed blocks with 1-3/4" trim
- .022 medium bristles for light general scrubbing, available in 11"- 20" diameter showerfeed blocks with 1-3/4" trim
- available in sectional brushes for certain models, check chart on page 72



Nylon



Bassine

BASSINE

- stiff fiber for general scrubbing
- available in 11" - 20" diameter blocks with 1-3/4" trim
- available in sectional brushes for certain models, check chart on page 72

SCRUB-GRIT® III

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	11000SG	N/A	361100G35
12"	12000SG	N/A	361200G35
12-1/2"	N/A	N/A	N/A
13"	13000SG	N/A	361300G35
13-1/2"	N/A	N/A	N/A
14"	14000SG	N/A	361400G35
15"	15000SG	N/A	361500G35
16"	16000SG	N/A	361600G35
16-1/2"	N/A	N/A	N/A
17"	17000SG	N/A	361700G35
18"	18000SG	N/A	361800G35
19"	19000SG	N/A	361900G35
20"	N/A	N/A	N/A
21"	N/A	N/A	N/A

SCRUB-GRIT® II

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	11000PS	N/A	361100G22
12"	12000PS	N/A	361200G22
12-1/2"	12500PS	N/A	361250G22
13"	13000PS	N/A	361300G22
13-1/2"	13500PS	N/A	361350G22
14"	14000PS	N/A	361400G22
15"	15000PS	N/A	361500G22
16"	16000PS	N/A	361600G22
16-1/2"	16500PS	N/A	361650G22
17"	17000PS	N/A	361700G22
18"	18000PS	N/A	361800G22
19"	19000PS	N/A	361900G22
20"	20000PS	N/A	362000G22
21"	N/A	N/A	N/A

DYNA-SCRUB®

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	11000DS	R1100X40500	361100G18
12"	12000DS	R1200X40500	361200G18
12-1/2"	12500DS	N/A	361250G18
13"	13000DS	R1300X40500	361300G18
13-1/2"	13500DS	N/A	361350G18
14"	14000DS	R1400X40500	361400G18
15"	15000DS	R1500X40500	361500G18
16"	16000DS	R1600X40500	361600G18
16-1/2"	16500DS	N/A	361650G18
17"	17000DS	R1700X40500	361700G18
18"	18000DS	R1800X40500	361800G18
19"	19000DS	R1900X40500	361900G18
20"	20000DS	N/A	362000G18
21"	N/A	N/A	N/A

POLY .028 (STIFF)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	1444-10	N/A	361000P28
11"	1444-11	R1100X80500	361100P28
12"	1444-12	R1200X80500	361200P28
12-1/2"	N/A	N/A	N/A
13"	1444-13	R1300X80500	361300P28
13-1/2"	N/A	N/A	N/A
14"	1444-14	R1400X80500	361400P28
15"	1444-15	R1500X80500	361500P28
16"	1444-16	R1600X80500	361600P28
16-1/2"	N/A	N/A	N/A
17"	1444-17	R1700X80500	361700P28
18"	1444-18	R1800X80500	361800P28
19"	1444-19	R1900X80500	361900P28
20"	1444-20	R2000X80500	362000P28
21"	1444-21	R2100X80500	362100P28

POLY .022 (MEDIUM)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	1442-11	R1100XH0500	361100P22
12"	1442-12	R1200XH0500	361200P22
12-1/2"	N/A	N/A	N/A
13"	1442-13	R1300XH0500	361300P22
13-1/2"	N/A	N/A	N/A
14"	1442-14	R1400XH0500	361400P22
15"	1442-15	R1500XH0500	361500P22
16"	1442-16	R1600XH0500	361600P22
16-1/2"	N/A	N/A	N/A
17"	1442-17	R1700XH0500	361700P22
18"	1442-18	R1800XH0500	361800P22
19"	1442-19	R1900XH0500	361900P22
20"	1442-20	R2000XH0500	362000P22
21"	N/A	N/A	N/A

NYLON .032 (HEAVY)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	N/A	N/A	N/A
12"	N/A	R1200XE0500	361200N32
12-1/2"	N/A	N/A	N/A
13"	N/A	R1300XE0500	361300N32
13-1/2"	N/A	N/A	N/A
14"	N/A	R1400XE0500	361400N32
15"	N/A	R1500XE0500	361500N32
16"	N/A	R1600XE0500	361600N32
16-1/2"	N/A	N/A	N/A
17"	N/A	R1700XE0500	361700N32
18"	N/A	R1800XE0500	361800N32
19"	N/A	R1900XE0500	361900N32
20"	N/A	R2000XE0500	362000N32
21"	N/A	N/A	N/A

SCRUBBING BRUSHES

NYLON .028 (MEDIUM)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	1440-10	N/A	361000N28
11"	1440-11	R1100XD0500	361100N28
12"	1440-12	R1200XD0500	361200N28
13"	1440-13	R1300XD0500	361300N28
14"	1440-14	R1400XD0500	361400N28
15"	1440-15	R1500XD0500	361500N28
16"	1440-16	R1600XD0500	361600N28
17"	1440-17	R1700XD0500	361700N28
18"	1440-18	R1800XD0500	361800N28
19"	1440-19	R1900XD0500	361900N28
20"	1440-20	R2000XD0500	362000N28

NYLON .022 (MEDIUM)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	1443-11	R1100XC0500	361100N22
12"	1443-12	R1200XC0500	361200N22
13"	1443-13	R1300XC0500	361300N22
14"	1443-14	R1400XC0500	361400N22
15"	1443-15	R1500XC0500	361500N22
16"	1443-16	R1600XC0500	361600N22
17"	1443-17	R1700XC0500	361700N22
18"	1443-18	R1800XC0500	361800N22
19"	1443-19	R1900XC0500	361900N22
20"	1443-20	R2000XC0500	362000N22

BASSINE

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	11000B	R1100XB0500	361100BA
12"	12000B	R1200XB0500	361200BA
13"	13000B	R1300XB0500	361300BA
14"	14000B	R1400XB0500	361400BA
15"	15000B	R1500XB0500	361500BA
16"	16000B	R1600XB0500	361600BA
17"	17000B	R1700XB0500	361700BA
18"	18000B	R1800XB0500	361800BA
19"	19000B	R1900XB0500	361900BA
20"	20000B	R2000XB0500	362000BA

Clutch Plates for Scrubbing Brushes are sold separately. See Machine Listing on pages 83-84 for recommended Clutch Plate.

SECTIONALS

SCRUB-GRIT®II

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
L250 (Am. Linc.)	N/A	N/A	N/A
C240 (Clarke)	N/A	N/A	N/A
C260 (Clarke)	C260PS	N/A	36C260G22
C370 (Clarke)	N/A	N/A	N/A
C380 (Clarke)	C380PS	N/A	36C380G22
460 (Star)	N/A	N/A	N/A

POLY .040 (VERY STIFF)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
L250 (Am. Linc.)	L250PN	N/A	36L250P40
C240 (Clarke)	N/A	N/A	N/A
C260 (Clarke)	N/A	N/A	N/A
C370 (Clarke)	N/A	N/A	N/A
C380 (Clarke)	N/A	N/A	N/A
460 (Star)	N/A	N/A	N/A

POLY .028 (STIFF)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
L250 (Am. Linc.)	N/A	N/A	36C250P28
C240 (Clarke)	N/A	N/A	N/A
C260 (Clarke)	C260PB	N/A	36C260P28
C370 (Clarke)	N/A	N/A	N/A
C380 (Clarke)	C380PB	N/A	36C380P28
460 (Star)	N/A	N/A	N/A

NYLON .028 (STIFF)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
L250 (Am. Linc.)	L250N	N/A	36L250N28
C240 (Clarke)	C240N	N/A	36C240N28
C260 (Clarke)	N/A	N/A	N/A
C370 (Clarke)	C370N	N/A	36C370N28
C380 (Clarke)	N/A	N/A	N/A
460 (Star)	N/A	N/A	N/A

NYLON .012 (SOFT)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
L250 (Am. Linc.)	L250	N/A	36L250N12
C240 (Clarke)	N/A	N/A	N/A
C260 (Clarke)	N/A	N/A	N/A
C370 (Clarke)	N/A	N/A	N/A
C380 (Clarke)	N/A	N/A	N/A
460 (Star)	N/A	N/A	N/A

BASSINE

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
L250 (Am. Linc.)	N/A	N/A	N/A
C240 (Clarke)	N/A	N/A	N/A
C260 (Clarke)	N/A	N/A	N/A
C370 (Clarke)	N/A	N/A	N/A
C380 (Clarke)	N/A	N/A	N/A
460 (Star)	460B	N/A	36460BA

Warning: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Scrubbing Sectionals



POLISHING BRUSHES

TAMPICO

- a natural fiber for light to medium polishing for high luster application
- durable and highly resistant to chemicals and solvents
- available in 11" - 20" diameters in showerfeed blocks with 1-3/4" trim



UNION

- a blend of Palmyra and White Tampico fiber for general purpose polishing
- available in 11" - 20" diameters with 1-3/4" trim

PAD DRIVER BRUSHES AND ACCESSORIES

SHORT TRIM PAD DRIVER

- 1/2" long, polypropylene bristles unevenly trimmed and widely spaced to hold pad
- available in 11" to 20" diameter
- can be converted for use on some high speed machines*
- order with riser 361726S for use with swing machines



LONG TRIM PAD DRIVER

- stiff polypropylene bristles trimmed to 1" long
- available in 9" to 22" diameter blocks



PAD GRAB® PAD HOLDER

- unique three piece construction, teeth on base and washer hold pad in place, retainer slides on the washer for easy pad installation and removal
- fits most pads, from stripping to buffing
- holds pads on center without tearing
- molded of high-impact plastic for extra strength
- easily and securely fastens to brush block with six screws, included



PAD GRAB® 2000 PAD HOLDER

- includes 6 screws for easy mounting
- made of high impact polymer for extra strength and long life
- attaches quickly to different pad thicknesses and holds the pad on center without tearing
- retainer ring always seats itself for proper pad positioning and leveling
- eliminates right/left rotation considerations



* Prep charge may be required, which includes cutting the center hole and static balancing. Check the machine listing on pages 85-95 or call Customer Service for more information.

POLISHING BRUSHES

TAMPICO

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	N/A	R1100XT0500	361100TM
12"	N/A	R1200XT0500	361200TM
13"	N/A	R1300XT0500	361300TM
14"	N/A	R1400XT0500	361400TM
15"	N/A	R1500XT0500	361500TM
16"	N/A	R1600XT0500	361600TM
17"	N/A	R1700XT0500	361700TM
18"	N/A	R1800XT0500	361800TM
19"	N/A	R1900XT0500	361900TM
20"	N/A	R2000XT0500	362000TM
21"	N/A	N/A	N/A
22"	N/A	N/A	N/A

UNION

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	11000U	R1100XU0500	361100UN
12"	12000U	R1200XU0500	361200UN
13"	13000U	R1300XU0500	361300UN
14"	14000U	R1400XU0500	361400UN
15"	15000U	R1500XU0500	361500UN
16"	16000U	R1600XU0500	361600UN
17"	17000U	R1700XU0500	361700UN
18"	18000U	R1800XU0500	361800UN
19"	19000U	R1900XU0500	361900UN
20"	20000U	R2000XU0500	362000UN
21"	N/A	N/A	N/A
22"	N/A	N/A	N/A

PAD DRIVER BRUSHES & ACCESSORIES

SHORT TRIM PAD DRIVER**

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
* 9"	N/A	N/A	N/A
10"	N/A	N/A	N/A
11"	1626-11	R1100XV0500	361100PDS
12"	1626-12	R1200XV0500	361200PDS
13"	1626-13	R1300XV0500	361300PDS
14"	1626-14	R1400XV0500	361400PDS
15"	1626-15	R1500XV0500	361500PDS
16"	1626-16	R1600XV0500	361600PDS
17"	1626-17	R1700XV0500	361700PDS
18"	1626-18	R1800XV0500	361800PDS
19"	1626-19	R1900XV0500	361900PDS
20"	1626-20	R2000XV0500	362000PDS
21"	N/A	N/A	N/A
22"	N/A	N/A	N/A

* Available in wood block only

** Includes 1-7/16" Riser

Warning: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

LONG TRIM PAD DRIVER

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
* 9"	1524-9	N/A	360900PDL
10"	1524-10	N/A	361000PDL
11"	1524-11	R1100XQ0500	361100PDL
12"	1524-12	R1200XQ0500	361200PDL
13"	1524-13	R1300XQ0500	361300PDL
14"	1524-14	R1400XQ0500	361400PDL
15"	1524-15	R1500XQ0500	361500PDL
16"	1524-16	R1600XQ0500	361600PDL
17"	1524-17	R1700XQ0500	361700PDL
18"	1524-18	R1800XQ0500	361800PDL
19"	1524-19	R1900XQ0500	361900PDL
20"	1524-20	R2000XQ0500	362000PDL
21"	1524-21	R2100XQ0500	362100PDL
22"	1524-22	R2200XQ0500	362200PDL

PAD GRAB® PAD HOLDERS

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
Pad Grab®	3522	N/A	363522
Pad Grab®	3523	N/A	363523
2000			

CARPET CLEANING BRUSHES & ACCESSORIES



KARPET KARE™ NYLON

- excellent for general scrubbing
- 11" - 20" showerfeed blocks with 1-3/4" trim
- outer rows of .028" nylon bristles and inner rows of .022" nylon bristles
- requires a few minutes of concrete surface "break-in" operation before use



NYLON

- long wearing nylon for effective carpet cleaning
- available in .028" stiff nylon in 10" to 20" diameter showerfeed blocks for general cleaning; or .022" medium stiff nylon in 11" - 20" diameter showerfeed blocks for light cleaning; 1-3/4" trim



POLYPROPYLENE (POLY)

- for Economical Carpet Cleaning
- .022" polypropylene bristles with a 1-3/4" trim
- available in 11" - 20" diameter showerfeed blocks

SOLUTION TANK

- converts your single disk floor machine into a fast, economical rug shampooer; universal bracket fits most floor machines
- 3-1/2 gallon capacity; non-corrosive plastic walls
- graduated measuring cup cap; side mount for spotting brush



DIRT NAPPER SYSTEM®

- Carpet Cleaning System consisting of a polyester brush and a bonnet for fast, effective cleaning
- outside rows of 1-1/4" trim bristles scrub carpet
- inside rows of 5/16" trim bristles hold absorbent looped microfiber bonnet in place
- available in 15", 17", 18", and 19" diameter plastic blocks with 1" riser
- replacement bonnets available, specify Dirt Napper size when ordering, packed 6 per case



ADJUST-A-GLIDE®

- polyester bristle brush effectively scrubs carpet while the smooth glide plate supports the weight of the machine for easier operator handling, while reducing operator fatigue
- .025" for general cleaning; or .018" for light cleaning
- available in 12" - 18" diameter showerfeed plastic blocks



CARPET CLEANING BRUSHES & ACCESSORIES

KARPET KARE™ NYLON .028 (STIFF) OUTER ROWS .028 (STIFF) INNER ROWS .022 (MED.)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	N/A	R1100XF0500	361100NDF
12"	N/A	R1200XF0500	361200NDF
13"	N/A	R1300XF0500	361300NDF
14"	N/A	R1400XF0500	361400NDF
15"	N/A	R1500XF0500	361500NDF
16"	N/A	R1600XF0500	361600NDF
17"	N/A	R1700XF0500	361700NDF
18"	N/A	R1800XF0500	361800NDF
19"	N/A	R1900XF0500	361900NDF
20"	N/A	R2000XF0500	362000NDF

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	1440-10	N/A	361000N28
11"	1440-11	R1100XD0500	361100N28
12"	1440-12	R1200XD0500	361200N28
13"	1440-13	R1300XD0500	361300N28
14"	1440-14	R1400XD0500	361400N28
15"	1440-15	R1500XD0500	361500N28
16"	1440-16	R1600XD0500	361600N28
17"	1440-17	R1700XD0500	361700N28
18"	1440-18	R1800XD0500	361800N28
19"	1440-19	R1900XD0500	361900N28
20"	1440-20	R2000XD0500	362000N28

NYLON .022 (MEDIUM)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	1443-11	R1100XC0500	361100N22
12"	1443-12	R1200XC0500	361200N22
13"	1443-13	R1300XC0500	361300N22
14"	1443-14	R1400XC0500	361400N22
15"	1443-15	R1500XC0500	361500N22
16"	1443-16	R1600XC0500	361600N22
17"	1443-17	R1700XC0500	361700N22
18"	1443-18	R1800XC0500	361800N22
19"	1443-19	R1900XC0500	361900N22
20"	1443-20	R2000XC0500	362000N22

POLY .022 (MEDIUM)

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	1442-11	R1100XH0500	361100P22
12"	1442-12	R1200XH0500	361200P22
13"	1442-13	R1300XH0500	361300P22
14"	1442-14	R1400XH0500	361400P22
15"	1442-15	R1500XH0500	361500P22
16"	1442-16	R1600XH0500	361600P22
17"	1442-17	R1700XH0500	361700P22
18"	1442-18	R1800XH0500	361800P22
19"	1442-19	R1900XH0500	361900P22
20"	1442-20	R2000XH0500	362000P22

CARPET CLEANING ACCESSORIES

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
Bonnet for 15" Dirt Napper	3548-13	N/A	361300DNB
Bonnet for 17" and 18" Dirt Napper	3548-15	R1500YA/ R1700F90500	361500DNB
Bonnet for 19" Dirt Napper	3548-17	N/A	361700DNB
Solution Tank	3500/ 3510	R194	363510

ADJUST-A-GLIDE® .025 (STIFF)

Block Dia.	Previous Flo-Pac® Number	New Product Number
10"	N/A	N/A
11"	N/A	N/A
12"	1447-12	361200A25
13"	1447-13	361300A25
14"	1447-14	361400A25
15"	1447-15	361500A25
16"	1447-16	361600A25
17"	1447-17	361700A25
18"	1447-18	361800A25
19"	N/A	N/A
20"	N/A	N/A

ADJUST-A-GLIDE® .018 (SOFT)

Block Dia.	Previous Flo-Pac® Number	New Product Number
10"	N/A	N/A
11"	N/A	N/A
12"	1446-12	361200A18
13"	1446-13	361300A18
14"	1446-14	361400A18
15"	1446-15	361500A18
16"	1446-16	361600A18
17"	1446-17	361700A18
18"	1446-18	361800A18
19"	N/A	N/A
20"	N/A	N/A

DIRT NAPPER SYSTEM®

Block Dia.	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
10"	N/A	N/A	N/A
11"	N/A	N/A	N/A
12"	N/A	N/A	N/A
13"	N/A	N/A	N/A
14"	N/A	N/A	N/A
15"	1448-15	R1500F90500	361500DN
16"	N/A	N/A	N/A
17"	1448-17	R1700F9500	361700DN
18"	1448-18	N/A	361800DN
19"	1448-19	R1900F9500	361900DN
20"	N/A	N/A	N/A

Clutch Plates for Carpet Cleaning Brushes are sold separately. See Machine Listing on pages 83-91 for recommended Clutch Plate.

Warning: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

CONCRETE FLOOR PREPARATION TOOLS



SCRAPE-AWAY®


- the productive, economical, and environmentally safe method for scraping and preparing concrete floors and stripping of film coatings, packed soils, ice, etc
- equipped with 6 replaceable carbon steel cutter blades; each blade has 8 cutting edges; three replacement blades per set
- available in 13", 15", and 17" sizes
- Scrape-Away® can be fit with Grind-Away® grit blocks
- order 2" smaller than machine size.



Scrape-Away®

GRIND-AWAY®

- for smoothing and finishing after concrete patchwork
- equipped with three replaceable silicon carbide grit blocks; three replacement grit blocks per set
- available in 15" and 17" sizes.
- Grind-Away® can be fit with Scrape-Away® cutting hardware
- order 2" smaller than machine size.



Grind-Away®

Scrape-Away and Grind-Away tools are designed for use only on 175 rpm rotary machines with 1 HP or greater. The heavy-duty circular aluminum casting has a 5" center hole, and an "N" series clutch plate is required. These tools cannot be used with riser blocks. When the machine listing on pages 85-95 recommends a "P" series universal clutch plate, use the proper "N" series clutch plate from the table below.

"N" Series Plate		Universal Plate
364183N	instead of	364183P
364192N	instead of	364192P
364147N	instead of	364147P
364146N	instead of	364146P

Important: All concrete floor tools are designed for use only by experienced rotary floor machine operators wearing protective eyewear, footwear, and dust mask. Always use the proper size standard 175 rpm rotary floor machine, equipped with the proper heavy-duty "N" series clutch plate. Do not use with "P" series or 364101 series universal clutch plates. Do not use with flammable materials.



364183N



364192N



364147N



364146N

CONCRETE FLOOR PREPARATION TOOLS


SCRAPE-AWAY®

Block Dia.	Previous Flo-Pac® Number	New Product Number
13"	13000CC	361300CC
15"	15000CC	361500CC
17"	17000CC	361700CC

SCRAPE-AWAY® ACCESSORIES

	Previous Flo-Pac® Number	New Product Number
Brackets, Springs & Cutter Blades (set of 3)*	3525	363525
Cutter Blades (set of 3)*	3526	363526
Brackets & Springs (set of 3)*	3527	363527

* Standard Scrape-Away® uses 2 sets.



363528

GRIND-AWAY®

Previous Flo-Pac® Number	New Product Number
15000GA	361500GA
17000GA	361700GA

GRIND-AWAY® ACCESSORIES

	Previous Flo-Pac® Number	New Product Number
Grit Block Kit (set of 3)	3528	363528



363526

N SERIES PLATE

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number		Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
4183N	RN83	364183N	Instead of	4183P	N/A	364183P
4192N	RN92	364192N	Instead of	4192P	N/A	364192P
4147N	RN47	364147N	Instead of	4147P	N/A	364147P
4146N	RN46	364146N	Instead of	4146P	N/A	364146P

UNIVERSAL PLATE

Warning: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.



364183N



364192N



364147N



364146N



364148P




364148P

WOOD FLOOR PREPARATION TOOLS



SAND-AWAY® SANDING DISK DRIVER FOR WOOD FLOORS

- durable plastic block with the finest quality felt face and a molded plastic holding cup securely holds sandpaper discs
- equipped with a 1-7/16" plastic riser with 5" center hole for use with Plastic Universal Clutch Plates or Standard Metal Universal Clutch Plates
- available in 15", 16", 17", and 19" sizes



Sand-Away®

SAND-AWAY

Block Dia.	Previous Flo-Pac® Number	New Product Number
15"	1224-15	361500SA
16"	1224-16	361600SA
17"	1224-17	361700SA
19"	1224-19	361900SA

Warning: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

CLUTCH PLATES & LUGS

STANDARD (METAL) UNIVERSAL CLUTCH PLATES

- cast of durable zinc alloy with a 5" center hole
- can be used instead of plastic ("P" Series) plates for the same applications
- numbers for plates are listed below and in the table on page 83

PLASTIC UNIVERSAL CLUTCH PLATES

- durable ("P" Series) plates molded to the same tight dimensions as metal counterparts with a 5" center hole and are recommended for most applications
- plastic plates won't stick to the drive hub; makes installation and removal easy

When a metal Universal Plate is preferred, please refer to the cross reference box below.

Metal Universal 5" CH		Plastic Universal 5" CH
364101A	or	364183P
364101B	or	364192P
364101C	or	364147P
364101D	or	364146P



364109



364110



363550



364103



36P15



36P10



364101A



36P42A



364148P

CLUTCH PLATES & LUGS

HEAVY-DUTY (METAL) "N" SERIES CLUTCH PLATES

- required for the roughest applications using Scrape-Away® and Grind-Away® tools



364108



364105

CLIP-ON STYLE PLATES

- match OEM design for brushes to fit automatic scrubbers

METAL LUGS

- match OEM design for mounting on this style drive
- set of 3 lugs

36P32



PLASTIC RISER BLOCKS

- for use with plastic block brushes
- 1-7/16" high x 6-1/2" diameter; specify center hole size



364112



364101E

CLUTCH PLATES

METAL UNIVERSAL 5" CH

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
4101A	N/A	364101A
4101B	N/A	364101B
4101C	N/A	364101C
4101D	N/A	364101D
4101E	N/A	364101E
4101F	N/A	364101F
4101G	N/A	364101G

PLASTIC UNIVERSAL 5" CH

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
4183P	N/A	364183P
4192P	N/A	364192P
4147P	N/A	364147P
4146P	N/A	364146P
4148P	N/A	364148P

HEAVY DUTY "N" SERIES 5" CH

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
4183N	RN83	364183N
4192N	RN92	364192N
4146N	RN46	364146N
4147N	RN47	364147N

363551



364174

CLIP-ON STYLE CLUTCH PLATES

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
4103 2.95" CH	N/A	364103
4105 5" CH	N/A	364105
4108 5" CH	N/A	364108
4109 5" CH	N/A	364109
4110 5" CH	N/A	364110
4112 5" CH	N/A	364112

CONVENTIONAL STYLE CH

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
P9 3-3/8" CH	RC81	36P9
P10 2-1/8" CH	N/A	36P10
P15 3-25/32" CH	N/A	36P15
P32 5" CH	N/A	36P32
P48, 5-1/2" CH	N/A	36P48
4104MTD	N/A	364104MTD
4-31/32" CH		
61238 4" CH	N/A	3661238

HARDWARE KITS

	Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
Hardware	3550	N/A	363550
Kit for Clutch Plate Installation			
Hardware	3551	N/A	363551
Kit for Riser Installation			

36P74



LUGS

LUG STYLE MOUNTING SETS

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
P74, 5.53" CH	RC69	36P74
P42A, 2-7/8" CH	RC90	36P42A
4174 Plastic, 5.53" CH		364174

PLASTIC RISER BLOCK

Previous Flo-Pac® Number	Previous Carlisle Number	New Product Number
1726S	N/A	361726S
6-1/2" Dia. (1-7/16" High)		
Specify Center Hole Size		

364104MTD



36P9



36P48



3661238



ROTARY BRUSH GUIDE



STRIPPING BRUSHES

SCRUBBING BRUSHES

Block Diameter	Strata-Grit® Plus	Strata-Grit®	Nylo-Grit®	Wire	Scrub-Grit® III	Scrub-Grit® II
9"*			360900G50			
10"			361000G50			
11"	361100G70	361100G60	361100G50	361100W30	361100G35	361100G22
12"	361200G70	361200G60	361200G50	361200W30	361200G35	361200G22
12-1/2"						361250G22
13"	361300G70	361300G60	361300G50	361300W30	361300G35	361300G22
13-1/2"						361350G22
14"	361400G70	361400G60	361400G50	361400W30	361400G35	361400G22
15"	361500G70	361500G60	361500G50	361500W30	361500G35	361500G22
16"	361600G70	361600G60	361600G50	361600W30	361600G35	361600G22
16-1/2"						361650G22
17"	361700G70	361700G60	361700G50	361700W30	361700G35	361700G22
18"	361800G70	361800G60	361800G50	361800W30	361800G35	361800G22
19"	361900G70	361900G60	361900G50	361900W30	361900G35	361900G22
20"	362000G70	362000G60	362000G50	362000W30		362000G22
21"			362100G50			
22"						

* Available in wood block only

ROTARY BRUSH GUIDE

SCRUBBING BRUSHES

Dyna-Scrub®	Poly .028 (Stiff)	Poly .022 (Med.)	Nylon .032 (Heavy)	Nylon .028 (Stiff)	Nylon .022 (Med.)	Bassine	Block Diameter
							9"*
	361000P28			361000N28			10"
361100G18	361100P28	361100P22		361100N28	361100N22	361100BA	11"
361200G18	361200P28	361200P22	361200N32	361200N28	361200N22	361200BA	12"
361250G18							12-1/2"
361300G18	361300P28	361300P22	361300N32	361300N28	361300N22	361300BA	13"
361350G18							13-1/2"
361400G18	361400P28	361400P22	361400N32	361400N28	361400N22	361400BA	14"
361500G18	361500P28	361500P22	361500N32	361500N28	361500N22	361500BA	15"
361600G18	361600P28	361600P22	361600N32	361600N28	361600N22	361600BA	16"
361650G18							16-1/2"
361700G18	361700P28	361700P22	361700N32	361700N28	361700N22	361700BA	17"
361800G18	361800P28	361800P22	361800N32	361800N28	361800N22	361800BA	18"
361900G18	361900P28	361900P22	361900N32	361900N28	361900N22	361900BA	19"
362000G18	362000P28	362000P22	362000N32	362000N28	362000N22	362000BA	20"
	362100P28						21"
							22"

* Available in wood block only



CLUTCH PLATES

5" CH CLUTCH PLATES			CLIP-ON STYLE CLUTCH PLATES	CONVENTIONAL STYLE CH CLUTCH PLATES
Metal Universal	Plastic Universal	Heavy Duty "N" Series		
364101A	364183P	364183N	364103	36P9
364101B	364192P	364192N	364105	36P10
364101C	364147P	364147N	364108	36P15
364101D	364146P	364146N	364109	36P32
364101E	364148P		364110	36P48
364101F			364112	364104MTD
364101G				3661238

POLISHING BRUSHES

PAD DRIVERS

ACCESSORIES

Block Diameter	Tampico	Union	Short Trim**	Long Trim
9"*				360900PDL
10"				361000PDL
11"	361100TM	361100UN	361100PDS	361100PDL
12"	361200TM	361200UN	361200PDS	361200PDL
13"	361300TM	361300UN	361300PDS	361300PDL
14"	361400TM	361400UN	361400PDS	361400PDL
15"	361500TM	361500UN	361500PDS	361500PDL
16"	361600TM	361600UN	361600PDS	361600PDL
17"	361700TM	361700UN	361700PDS	361700PDL
18"	361800TM	361800UN	361800PDS	361800PDL
19"	361900TM	361900UN	361900PDS	361900PDL
20"	362000TM	362000UN	362000PDS	362000PDL
21"				362100PDL
22"				362200PDL

New Prod. No.	Product Description
363550	Hardware Kit for Clutch Plate Installation
363551	Hardware Kit for Riser Installation
361726S	Plastic Riser Block
36P74	Lug Style Mounting Sets
36P42A	Lug Style Mounting Sets
36P48	Lug Style Mounting Sets
364174	Lug Style Mounting Sets
363522	Pad Grab®
363523	Pad Grab® 2000

* Available in wood block only
 ** Includes 1-7/16" plastic riser

ROTARY BRUSH GUIDE

CARPET CLEANING BRUSHES

Nylon Outer - .028 Inner - .022	Nylon .028 (Stiff)	Nylon .022 (Med.)	Poly .022 (Med.)	Adjust-A-Glide®		Dirt Napper System®	Block Diameter
				.025 (Stiff)	.018 (Soft)		
	361000N28						10"
361100NDF	361100N28	361100N22	361100P22				11"
361200NDF	361200N28	361200N22	361200P22	361200A25	361200A18		12"
							12-1/2"
361300NDF	361300N28	361300N22	361300P22	361300A25	361300A18		13"
							13-1/2"
361400NDF	361400N28	361400N22	361400P22	361400A25	361400A18		14"
361500NDF	361500N28	361500N22	361500P22	361500A25	361500A18	361500DN	15"
361600NDF	361600N28	361600N22	361600P22	361600A25	361600A18		16"
							16-1/2"
361700NDF	361700N28	361700N22	361700P22	361700A25	361700A18	361700DN	17"
361800NDF	361800N28	361800N22	361800P22	361800A25	361800A18	361800DN	18"
361900NDF	361900N28	361900N22	361900P22			361900DN	19"
362000NDF	362000N28	362000N22	362000P22				20"

CARPET CLEANING ACCESSORIES

New Prod. No.	Product Description
361300DNB	Bonnet for 15" Dirt Napper
361500DNB	Bonnet for 17" and 18" Dirt Napper
361700DNB	Bonnet for 19" Dirt Napper
363510	Solution Tank

MACHINE LISTINGS

The listings below will assist you in selecting the correct brush block size and clutch plate for your equipment.

- Scrubbing brushes and long-trim pad drivers are usually 2" smaller than the machine size. This is the block diameter listed in the table.
- Short-trim pad drivers are usually 1" smaller than the machine size. Add 1" to the block size listed in this table for short-trim pad drivers.

- Automatic scrubbers will use brushes, short-trim pad drivers, and long-trim pad drivers as listed in this table.

Brushes for certain machine models may require special preparation, or may be available in select fill types.

Call Customer Service for information on machines not listed.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
ADVANCE (Nilfisk-Advance)				
See Nilfisk-Advance on pages 90-91.				
ALTO/CLARKE (Clarke)				
820	19"	4192P	—	364192P
1700 Mini-Scrubber	17"	CALL*	—	—
2000 Mini-Scrubber	18"/19"	CALL*	—	—
2000B, 2000E	18"/19"	CALL*	—	—
2400 (2 brushes)	13"	CALL*	—	—
3200, 3400 (2 brushes)	17"	CALL*	—	—
Burnisher 1000, 1500, 2000 - high speed pad driver	18"	CALL*	—	—
Burnisher 2000B - high speed pad driver	19"	CALL*	—	—
C-15	13"	4192P	—	364192P
C-16, C-1600	14"	4192P	—	364192P
C-18, C-1800	16"	4192P	—	364192P
C-20, C-2000	18"	4192P	—	364192P
C-22	20"	4192P	—	364192P
C2K 13	11"	4192P	—	364192P
C2K 16, C2K 160, C2K 1600, C2K 1600HS, C2K 1600DS	14"	4192P	—	364192P
C2K 18, C2K 180, C2K 1800, C2K 1800HS	16"	4192P	—	364192P
C2K 200, C2K 2000, C2K 2000HS, C2K 2000DS	18"	4192P	—	364192P
Compact Leader 1700	16"/17"	CALL*	—	—
E-15	13"	4192P	—	364192P
EM-16	14"	4192P	—	364192P
E-18	16"	4192P	—	364192P
Encore L20, S20, S20E	18"/19"	CALL*	—	—
Encore L28, S28 (2 brushes)	14"	CALL*	—	—
Encore L33, S33, R34 (2 brushes)	17"	CALL*	—	—
Encore L38, R38, S38 (2 brushes)	19"	CALL*	—	—
Encore L2426 (2 brushes)	13"	CALL*	—	—
Encore S2426 (2 brushes)	13"	CALL*	—	—
FM-11, FM-1100D	9" - 3-3/8" CH	P9	RC81	36P9
FM-12, FM-12R	10" - 3-3/8" CH	P9	RC81	36P9
FM-1300 (old)	11" - 3-3/8" CH	P9	RC81	36P9
FM-13 (new)	11"	4192P	—	364192P
FM-14	12"	4192P	—	364192P

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
ALTO/CLARKE (Clarke) (continued)				
FM-15, FM-1500	13"	4192P	—	364192P
F-16, FM-16	14"	4192P	—	364192P
FM-17, FM-1700	15"	4192P	—	364192P
FM-18	16"	4192P	—	364192P
FM-20, FM-2000	18"	4192P	—	364192P
FM-23, FM-2300	21"	4192P	—	364192P
GM-15	13"	4192P	—	364192P
GM-17	15"	4192P	—	364192P
GM-18	16"	4192P	—	364192P
LP-80, LP-136	15"	4192P	—	364192P
Leader 1700, Compact Leader	16"/17"	CALL*	—	—
Leader 2000	18"/19"	CALL*	—	—
Leader 2400 (2 brushes) - high speed pad driver	13"	CALL*	—	—
Leader 2400 Sectional (8 per set)	C260	—	—	—
Leader 3200, 3400 (2 brushes) - high speed pad driver	17"	CALL*	—	—
Leader 3200 sectional (8 per set)	C380	—	—	—
MP-18	16"	4192P	—	364192P
Mini Scrubber 1700	16"/17"	CALL*	—	—
Mini Scrubber 2000	18"/19"	CALL*	—	—
P-11	9" - 3-3/8" CH	P9	RC81	36P9
P-12	10" - 1-3/4" CH	N/A	—	—
P-13	11"	4192P	—	364192P
P-15	13"	4192P	—	364192P
P-17	15"	4192P	—	364192P
P-20	18"	4192P	—	364192P
PE-20	19"	4192P	—	364192P
P-22	20"	4192P	—	364192P
P-23	21"	4192P	—	364192P
S-13	11"	4192P	—	364192P
S-16	14"	4192P	—	364192P
S-18	16"	4192P	—	364192P
S-20, SS-20	18"	4101B	—	364101B
TB-18 (2 brushes)	9" - 2-1/2" CH	N/A	—	—
TB-20E, TB-21E (2 brushes)	10"	CALL*	—	—
TB-24 sectional (8 per set)	C240	—	—	—
TB-32 sectional (8 per set)	C370	—	—	—

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
ALTO/CLARKE (Clarke) (continued)				
TB-60 (2 brushes) - high speed pad driver	13"	CALL*		
TB-60 sectional (8 per set)	C260	—		
TB-80 (2 brushes)- high speed pad driver	17"	CALL*		
TB-80 sectional (8 per set)	C380	—		
VP-16	14"	4192P	—	364192P
VP-18	16"	4192P	—	364192P
VP-20	18"	4192P	—	364192P
Vision 17	16"/17"	CALL*		
Vision 20	18"/19"	CALL*		
Vision 21 (2 brushes)	11"	CALL*		
Vision 26 (2 brushes)	14"	CALL*		
Vision 32 (2 brushes)	17"	CALL*		
Vision 38 (2 brushes)	19"	CALL*		
Vision 3400 (2 brushes)	17"	CALL*		
Vision V (2 brushes)	13"	CALL*		

AMERICAN-LINCOLN

22	20"	4192P	—	364192P
66 (2 brushes)	14"	CALL*		
81 (2 brushes)	17"	CALL*		
121	19"	4192P	—	364192P
151, 156, 161	14"	4192P	—	364192P
150 Series	12"	4192P	—	364192P
152 Series	17"	4192P	—	364192P
153 Series	21"	4192P	—	364192P
160 Series	12"	4192P	—	364192P
161	14"	4192P	—	364192P
162 Series	17"	4192P	—	364192P
189	15"	4192P	—	364192P
191-11, 191-15	13"	4192P	—	364192P
192, 198	15"	4192P	—	364192P
193 Series	12"	4192P	—	364192P
197 Series	13"	4192P	—	364192P
215, 216	14"	4192P	—	364192P
221, S221	19"	4192P	—	364192P
301	18"	4192P	—	364192P
317	15"	4192P	—	364192P
319	17"	4192P	—	364192P
320	18"	4192P	—	364192P
321	19"	4192P	—	364192P
322	20"	4192P	—	364192P
518 Series sectional (6 per set)	L250	—		
524 Series sectional (8 per set)	L250	—		
530 Series sectional (10 per set)	L250	—		
537, 538 sectional (12 per set)	L250	—		
560 Series sectional (20 per set)	L250	—		
620 Series sectional (7 per set)	L250	—		
721	19"	4192P	—	364192P
or sectional (7 per set)	L250	—		

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
AMERICAN-LINCOLN (continued)				
726 (2 brushes)	13" - 4" CH	N/A		
730 (2 brushes)	14" - 4" CH	N/A		
or sectional (10 per set)	L250	—		
750 sectional (18 per set)	L250	—		
772 sectional (24 per set)	L250	—		
930i (2 brushes)	14"	4105	—	364105
or sectional (10 per set)	L250	—		
934 (2 brushes)	17"	4105	—	364105
or sectional (14 per set)	L250	—		
936 (2 brushes)	17" - 4" CH	N/A		
or sectional (14 per set)	L250	—		
950, 960 (3 brushes)	14"	4105	—	364105
or sectional (18 per set)	L250	—		
1030 (2 brushes)	14"	4105	—	364105
or sectional (12 per set)	L250	—		
6200, 6700 (3 brushes)	14"	4105	—	364105
BP21 sectional (7 per set)	L250	—		

BETCO

20HD	18"	4192P	—	364192P
FL 17, FL 17HD, FL 17DS	15"	4192P	—	364192P
FL 19, FL 19HD, FL 19DS	17"	4192P	—	364192P
32	16"	P74	RC69	36P74

BREUER (Tornado)

See Tornado on pages 93-94.

CASSIDY (Clean-O-Matic)

12	10"	4192P	—	364192P
14, 14A, 140	12"	4192P	—	364192P
15, VP-15, 150	13"	4192P	—	364192P
16, 160	14"	4192P	—	364192P
17, VP-17, 170	15"	4192P	—	364192P
190	17"	4192P	—	364192P
20, VP-20	18"	4192P	—	364192P
23, 230, 230A	21"	4192P	—	364192P

CLARKE (Alto/Clarke)

See Alto/Clarke on pages 85-86.

DART

15A	13"	4192P	—	364192P
18A	16"	4192P	—	364192P
21A	19"	4192P	—	364192P
123	21"	4192P	—	364192P
130, 131	11"	4192P	—	364192P
140, 141, 142	12"	4192P	—	364192P
150, 151, 152, 153	13"	4192P	—	364192P
160, 161, 162	14"	4192P	—	364192P

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
170, 171, 172	15"	4192P	—	364192P
190, 191	17"	4192P	—	364192P
323	21"	4192P	—	364192P
341, 342, 343	12"	4192P	—	364192P
360, 361, 362	14"	4192P	—	364192P
371, 372	15"	4192P	—	364192P
390, 391	17"	4192P	—	364192P
410	9"	4192P	—	364192P
423	19"	4192P	—	364192P
430	11"	4192P	—	364192P
451, 452, 453	13"	4192P	—	364192P
482, 483	16"	4192P	—	364192P
623	21"	4192P	—	364192P
630, 631	11"	4192P	—	364192P
641, 642, 643	12"	4192P	—	364192P
661, 662, 663	14"	4192P	—	364192P
672, 673	15"	4192P	—	364192P
692, 693	17"	4192P	—	364192P
723	19"	4192P	—	364192P
751, 752, 753	13"	4192P	—	364192P
782, 783	16"	4192P	—	364192P
823	19"	4192P	—	364192P
863	14"	4192P	—	364192P
873	15"	4192P	—	364192P
893	17"	4192P	—	364192P
921	19"	4192P	—	364192P
923	21"	4192P	—	364192P
961, 962	14"	4192P	—	364192P
971, 972	15"	4192P	—	364192P
991	17"	4192P	—	364192P

EUREKA (Sanitaire)

15 Sanitaire	13"	4192P	—	364192P
17 Sanitaire	15"	4192P	—	364192P
20 Sanitaire	18"	4192P	—	364192P

FACTORY CAT/TOMCAT (RPS)

21, 2100 (2 brushes)*	10"	4108 or 4110**	—	364108 or 364110**
25, 2500 (2 brushes)*	12"	4108 or 4110**	—	364108 or 364110**
27, 2700 (2 brushes)*	13"	4108 or 4110**	—	364108 or 364110**
29 (2 brushes)*	14"	4108 or 4110**	—	364108 or 364110**
35 (2 brushes)*	16"	4108 or 4110**	—	364108 or 364110**
38, 40, 40HD, 3700 (2 brushes)*	18"	4108 or 4110**	—	364108 or 364110**

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
52, 5100 (3 brushes)*	17"	4108 or 4110**	—	364108 or 364110**
SS1017, SS1517HD, SS1517-2S	15"	4192P	—	364192P
SS1020, SS1520 HD, SS1520-2S	18"	4192P	—	364192P

* Except Scrub-Grit® II, Dyna-Scrub®, or 1626 pad driver

CALL*

** When ordering rotary brushes, specify clutch plate style: 6 point 364108 or 8 point 364110

GENERAL

1000 - high speed pad driver	18"	CALL*	—	—
2000DC - high speed pad driver	18"	CALL*	—	—
GF-15	13"	4192P*	—	364192P
GF-17, GVS-17	15"	4192P*	—	364192P
GF-19, GVS-19	16"	4192P*	—	364192P
GVS-21	18"	4192P*	—	364192P
GF-21	18"	4192P*	—	364192P
GF-23	20"	4192P*	—	364192P
K-12, KC-12, KR-12	11"	4192P*	—	364192P
KL-13, KR-13	11"	4192P*	—	364192P
KC14DHS	12"	4192P	—	364192P
K-14, KC-14, KL-14, KR-14	13"	4192P*	—	364192P
K-15, KL-15	13"	4192P*	—	364192P
KC16DHS	14"	4192P	—	364192P
K-16, KC-16, KL-16, KR-16	15"	4192P*	—	364192P
KC-17, KL-17, KR-17	15"	4192P*	—	364192P
KC18DHS	16"	4192P	—	364192P
K-18, KC-18, KR-18	16"	4192P*	—	364192P
KC20DHS	18"	4192P	—	364192P
KC-20, KR-20	18"	4192P*	—	364192P
K-22, KC-22, KR-22	20"	4192P*	—	364192P
S-11	10"	4192P*	—	364192P
S-13	11"	4192P*	—	364192P
S-15	13"	4192P*	—	364192P
S-18	16"	4192P*	—	364192P
S-22	20"	4192P*	—	364192P

* Floor machine serial number identifies the clutch plate to be used. 84xxx or lower use 364183P. 85xxx or higher take 364192P.

GRACO

Saturn 24" sectional (8 per set)	C240	—	—	—
Saturn 32" sectional (8 per set)	C370	—	—	—

HAWK

HP 1017, HP 1517HD	15"	4192P	—	364192P
HP 1020, HP 1520HD	18"	4192P	—	364192P

HILD

17-Pro II	15"	4146P	—	364146P
20-Pro II	18"	4146P	—	364146P
22A-Pro II	20"	4146P	—	364146P
A-14	12" - 2-1/8" CH	P10	—	36P10

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
HILD (continued)				
B-11	9" - 2-1/8" CH	P10	—	36P10
C-16	14"	4146P	—	364146P
C-18	16"	4146P	—	364146P
C-Master 16	14" - 2-1/8" CH	P10	—	36P10
D-19	17"	4146P	—	364146P
D-Master 19	17" - 3-1/4" CH	N/A	—	—
E-24, E-25	22"	4146P	—	364146P
F-22	20"	4146P	—	364146P
G-18	16"	4146P	—	364146P
GP 15A	13"	4146P	—	364146P
H-22	20"	4146P	—	364146P
Hi-20 - high speed pad driver	18"	CALL*	—	—
HP-16	14"	4146P	—	364146P
J-25	22"	4146P	—	364146P
JR-11	9" - 2-1/8" CH	P10	—	36P10
K-12-1/2, K-13	11"	4146P	—	364146P
L-12, P-12	10"	4146P	—	364146P
L-14, P-14	12"	4146P	—	364146P
L-15	13"	4146P	—	364146P
Mach 1100, 1500 - high speed pad driver	18"	CALL*	—	—
P-13	11"	4146P	—	364146P
P-15	13"	4146P	—	364146P
P-16	14"	4146P	—	364146P
P-18	16"	4146P	—	364146P
UC-16	14"	4146P	—	364146P
UD-19, UD-219	17"	4146P	—	364146P
VA-14	12"	4146P	—	364146P

HILLYARD

16" Hillboy	14" - 5" CH	N/A	—	—
17" Hillboy	15" - 5-5/8" CH	N/A	—	—
21" Hillboy	18" - 5-5/8" CH	N/A	—	—
Deluxe Single 14	12"	4147P	—	364147P
Standard Single 16	14"	4147P	—	364147P
Standard Single 18	16"	4147P	—	364147P
Standard Single 20	18"	4147P	—	364147P

HOLT (Pullman-Holt)

See Pullman-Holt on page 92.

HOOVER

C5023	14"	4192P	—	364192P
C5025, C5033, C5035	18"	4192P	—	364192P
C5027	16"	4192P	—	364192P
C5029 - high speed pad driver	18"	CALL*	—	—
C5031	15"	4192P	—	364192P
F7089	15"	4147P	—	364147P
F7091, F7093	18"	4147P	—	364147P
F7095 - high speed pad driver	18"	CALL*	—	—

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
HUNTINGTON				
12, 13	11"	61238	—	3661238
16, 16B, 16G, 16H	14"	61238	—	3661238
18, 18P	16"	61238	—	3661238
20, 20F, 20H	18"	61238	—	3661238
20J	18"	4192N	RN92	364192N

KENT

170E	15"	4192P	—	364192P
Except Scrub-Grit® II & Dyna-Scrub®	16"	4192P	—	364192P
A-11	9" - 5" CH	N/A	—	—
B-11	9" - 5" CH	N/A	—	—
C-13, 13"	11" - 5-5/8" CH	N/A	—	—
C-13, 15"	14" - 5-5/8" CH	N/A	—	—
C-15	15" - 5" CH	N/A	—	—
C-18	17" - 5" CH	N/A	—	—
D-20	19" - 5" CH	N/A	—	—
E-12, E-13	11"	4192P	—	364192P
GA-15	13"	4192P	—	364192P
GA-17	15"	4192P	—	364192P
GA-20	18"	4192P	—	364192P
K-11	9" - 5" CH	N/A	—	—
K-12, KM-13	11" - 5" CH	N/A	—	—
K-13, K-14	11" - 5" CH	N/A	—	—
K-15, K-16	14" - 5" CH	N/A	—	—
K-17, K-17HD	15" - 5" CH	N/A	—	—
KA-17 Select Scrub	15"	4192P	—	364192P
Except Scrub-Grit® II, Dyna-Scrub®, or pad driver	16"	4192P	—	364192P
	16"	4192P	—	364192P
KA-18, KB-18 (2 brushes)	9" - 1-7/8" CH	P42A	RC90	36P42A
KA-20 (2 brushes)	10"	P42A	—	36P42A
KA-20BT, KA-20E, KA-20B	19"	4192P	—	364192P
Except Scrub-Grit® II, Dyna-Scrub®, or pad driver	20"	4192P	—	364192P
	20"	4192P	—	364192P
KA-26 (2 brushes)	12" - 1-7/8" CH	P42A	RC90	36P42A
Except Scrub-Grit® II & Dyna-Scrub®	13" - 1-7/8" CH	P42A	RC90	36P42A
KA-26BT (2 brushes)	12"/13"	CALL*	—	—
KA-26HD (2 brushes)	13" - 1-7/8" CH	P42A	RC90	36P42A
KA-27 Dura-Scrub (2 brushes)	13"/14"	CALL*	—	—
KA-27SS, KA-27SSA Select Scrub (2 brushes)	13"/14"	CALL*	—	—
KA-32 (2 brushes)	15" - 1-7/8" CH	P42A	RC90	36P42A
KA-33 Dura-Scrub (2 brushes)	16"/17"	CALL*	—	—
KA33BR (2 brushes)	16"	CALL*	—	—
KA-33SS, KA-33SSA Select Scrub (2 brushes)	16"/17"	CALL*	—	—
KA-34BR2 (rider) (2 brushes)	16"	CALL*	—	—
KA-39 Dura-Scrub (2 brushes)	19"/20"	CALL*	—	—
KA-39SS, KA-39SSA Select Scrub (2 brushes)	19"/20"	CALL*	—	—

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
KENT (continued)				
KA-171B	15"	4192P	—	364192P
KA-200E, KA-201BST (2 brushes)	10" - 1-7/8" CH	P42A	RC90	36P42A
KA-261, KA-262B, KA-265, KA-266EB, 26ERB2 (2 brushes)	13" - 1-7/8" CH	P42A	RC90	36P42A
KA-325B (2 brushes)	15" - 1-7/8" CH	P42A	RC90	36P42A
KA-326EB, 32ERB2, KA-36 (2 brushes)	15" - 1-7/8" CH	P42A	RC90	36P42A
KA-381EB, 38ERB2, KA-38 (2 brushes)	18" - 1-7/8" CH	P42A	RC90	36P42A
KA-382 (2 brushes)	18" - 1-7/8" CH	P42A	RC90	36P42A
KA-3818 (2 brushes)	18" - 1-7/8" CH	P42A	RC90	36P42A
KE-20 (2 brushes)	10"	P42A	—	36P42A
KF-13DL, KF-13SL	11"	4192P	—	364192P
KF-17DL, KF-17SL	15"	4192P	—	364192P
KF-17SL2 (2 speed)	15"	4192P	—	364192P
KF-20DL, KF-20HD, KF-20SL	18"	4192P	—	364192P
KF-20SL2 (2 speed)	18"	4192P	—	364192P
K-130, KF-130	11"	4192P	—	364192P
KF-150A	13"	4192P	—	364192P
K-170, KF-170A, KF-174SL, KF-175A	15"	4192P	—	364192P
Except Scrub-Grit® II & Dyna-Scrub®	16"	4192P	—	364192P
KF-175SA - high speed pad driver	15"	CALL*		
KF-176SL2 (2 speed)	15"	4192P	—	364192P
KF-195, KF-195M	18"	4192P	—	364192P
KF-200A, KF-201, KF-204SL	18"	4192P	—	364192P
KF204SC	18"	CALL*		
KF-205A, KF-206SL2 (2 speed)	18"	4192P	—	364192P
KF-205S2 (2 speed)	18"	4192P	—	364192P
M-13, MA-13	11"	4192P	—	364192P
M-15, XP-15	13"	4192P	—	364192P
M-17, MA-17, XP-17	15"	4192P	—	364192P
M-20, MA-20, XP-20	18"	4192P	—	364192P
M-23, MA-23, XP-23	21"	4192P	—	364192P
Razor 17	16"	4148P	—	364148P
Razor 20	19"	4148P	—	364148P

KOBLENZ

TP-1710, TP-1715	15"	4192P	—	364192P
TP-2010, TP-2015	18"	4192P	—	364192P

LAWLOR

15W, 16, 151, 151W	14" - 6" CH	N/A		
19, 20D, 181, 181W	17" - 6" CH	N/A		
221, 221R	20" - 6" CH	N/A		
C-12, C-13	11"	4192P	—	364192P
C-16, CF-16	14"	4192P	—	364192P
C-19, CF-19	17"	4192P	—	364192P
C-22, CF-22	20"	4192P	—	364192P
K-13, L-1300	12"	4192P	—	364192P
K-16, L-1600	14"	4192P	—	364192P
K-19, L-1900	17"	4192P	—	364192P

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
MASTERCRAFT				
1300, 3300	11"	4192P	—	364192P
1550, 1575, 2550	13"	4192P	—	364192P
1700, 1775	15"	4192P	—	364192P
1900, 3990	17"	4192P	—	364192P
3550, 3575, 4550, 4575	13"	4192P	—	364192P
3700, 3775, 4775	15"	4192P	—	364192P
MBS-2000E - high speed pad driver	18"	CALL*		
MD-13A	11"	4192P	—	364192P
MD-15B, MD-15C, MD-15D	13"	4192P	—	364192P
MD-17	15"	4192P	—	364192P
MD-20, MD-20D, MH-20E	18"	4192P	—	364192P
MD-21	19"	4192P	—	364192P
MD-24E	22"	4192P	—	364192P
MHS20E - high speed pad driver	18"	CALL*		

MERCURY

BDP-13	11"	4192P	—	364192P
BDP-15, H-15, L-15	13"	4192P	—	364192P
BDP-17, H-17, HSP-17, L-17, TS-17	15"	4192P	—	364192P
DC-17, GM-17	16"	CALL*		
BDP-19, H-19, HSP-19, L-19, TS-19	17"	4192P	—	364192P
DC-19, GM-19	17"	CALL*		
H-21, HSP-21, L-21, TS-21	19"	4192P	—	364192P
DC-21, GM-21	20"	CALL*		
L-23	21"	4192P	—	364192P
Timesaver 17	15"	4192P	—	364192P

NATIONAL SUPER SERVICE

21 (2 brushes)	10"	N/A	—	—
24B	12"	N/A	—	—
Champ ZS29 (2 brushes)	14" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II, Dyna-Scrub®, and pad driver	15" - 5.53" CH	P74	RC69	36P74
Charger 20, Charger 1500 - high speed pad driver	18"	CALL*		
Filly 13	11"	4192P	—	364192P
Maverick II - 15	13"	4192P	—	364192P
Maverick II - 17, Maverick 300-17	15"	4192P	—	364192P
Maverick II - 20, Maverick 300-20	18"	4192P	—	364192P
Maverick 300	18"	4192P	—	364192P
Mustang 17, Mustang 300-17	15"	4192P	—	364192P
Mustang 20, Mustang 300-20	18"	4192P	—	364192P
Portable 13 (old style)	11"	N/A		
Portable 13-SP	11"	4192P	—	364192P
SS-13	11"	4192P	—	364192P
SP-15, SS-15	13"	4192P	—	364192P
SP-16, SS-16	14"	4192P	—	364192P
SP-17, SS-17	15"	4192P	—	364192P
SP-19, SS-19	17"	4192P	—	364192P

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
SP-20, SS-20	18"	4192P	—	364192P
Thoroughbred FP15	13"	4192P	—	364192P
Thoroughbred 17	15"	4192P	—	364192P
Thoroughbred 20	18"	4192P	—	364192P
Thoroughbred 23	21"	4192P	—	364192P
Wrangler 17	17"	CALL*		
Wrangler 20	20"	CALL*		
Wrangler 24 (2 brushes)	11" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II, Dyna-Scrub®, and pad driver	12" - 5.53" CH	P74	RC69	36P74
Wrangler 26 (2 brushes)	12" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II, Dyna-Scrub®, and pad driver	13" - 5.53" CH	P74	RC69	36P74
Wrangler 27 (2 brushes)	13" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	13-1/2" - 5.53" CH	P74	RC69	36P74
Wrangler 33 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	16-1/2" - 5.53" CH	P74	RC69	36P74
Wrangler 1708C	17"	4192P	—	364192P
Wrangler 2008C	20"	4192P	—	364192P

NILFISK-ADVANCE (Advance)

All Purpose Matador 17	15"	4147P	—	364147P
All Purpose Matador 20	18"	4147P	—	364147P
BA 5321, BA 5321D	19"	4148P	—	364148P
Captor 4300	14"	P74	RC69	36P74
Captor 4800	16"	P74	RC69	36P74
Captor 5400	13"	P74	RC69	36P74
Converta Max 20	19"	4148P	—	364148P
Converta Max 26 (2 brushes)	12" - 5.53" CH	P74	RC69	36P74
Converta Max 28 (2 brushes)	14" - 5.53" CH	P74	RC69	36P74
Converta Max 34 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Convertamatic 17	15"	4147P	—	364147P
Convertamatic 18	16" - 5.53" CH	P74	RC69	36P74
Convertamatic 20	18"	4147P	—	364147P
Convertamatic 21	19" - 5.53" CH	P74	RC69	36P74
Convertamatic 24 (2 brushes)	11" - 5.53" CH	P74	RC69	36P74
Convertamatic 26 (2 brushes)	12" - 5.53" CH	P74	RC69	36P74
Convertamatic 28 (2 brushes)	14" - 5.53" CH	P74	RC69	36P74
Convertamatic 32 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Convertamatic 38 (2 brushes)	19" - 5.53" CH	P74	RC69	36P74
Convertamatic 200	18"	4147P	—	364147P
Convertamatic 240 (2 brushes)	11" - 5.53" CH	P74	RC69	36P74
Convertamatic 260, 265 (2 brushes)	12" - 5.53" CH	P74	RC69	36P74
Convertamatic 280, 285 (2 brushes)	14" - 5.53" CH	P74	RC69	36P74
Convertamatic 320, 325 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Convertamatic 380, 385, 3800 (2 brushes)	19" - 5.53" CH	P74	RC69	36P74
Galaxie 14 (new)	12" - 4-29/32" CH	N/A		

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
Galaxie 16 (new)	14" - 4-29/32" CH	N/A		
Galaxie 16, 160	14"	4147P	—	364147P
Galaxie 18 (new)	16" - 5" CH	N/A		
Galaxie 18, 180	16"	4147P	—	364147P
Galaxie 20	18"	4147P	—	364147P
Hydro-Cat (2 brushes)	12" - 5.53" CH	P74	RC69	36P74
Hydro-Retriever 200	18"	4147P	—	364147P
Hydro-Retriever 240 (2 brushes)	11" - 5.53" CH	P74	RC69	36P74
Hydro-Retriever 2800 (2 brushes)	14" - 5.53" CH	P74	RC69	36P74
Hydro-Retriever 3200 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Hydro-Retriever 3800 (2 brushes)	19" - 5.53" CH	P74	RC69	36P74
Lynx 285 (2 brushes)	14" - 5.53" CH	P74	RC69	36P74
Lynx 325 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Lynx 385 (2 brushes)	19" - 5.53" CH	P74	RC69	36P74
MP-20 HS	18"	4147P	—	364147P
Matador 17	15"	4147P	—	364147P
Matador 20	18"	4147P	—	364147P
Matador 24	22"	4101F	—	364101F
Micromatic 17B	15"	4192P	—	364192P
Except Scrub-Grit® II, Dyna-Scrub®, and pad driver	16"	4192P	—	364192P
Micromax 17B	16"	N/A	N/A	364148P
Micromax 17E	16"	N/A	N/A	364148P
Micromax 20B	19"	N/A	N/A	364148P
Micromax 20DD	19"	N/A	N/A	364148P
Mobilmatic 17	15"	4147P	—	364147P
Mobilmatic 20	18"	4147P	—	364147P
Mobilmatic 64, 6400 (4 brushes)	15" - 5.53" CH	P74	RC69	36P74
Pacemaker 15	13"	4147P	—	364147P
Pacemaker 17	15"	4147P	—	364147P
Pacemaker 20, P20E	18"	4147P	—	364147P
Pacemaker 22	20"	4147P	—	364147P
Pacemaker 24	22"	4101F	—	364101F
Pacesetter 17	15"	4192P	—	364192P
Pacesetter 20	18"	4192P	—	364192P
SD 17, SD 4317	15"	4192P	—	364192P
SD 20, SD 5120	18"	4192P	—	364192P
SD130	11"	4192P	—	364192P
Shadow 17	15"	4192P	—	364192P
Shadow 20	18"	4192P	—	364192P
Spin 17	15"	4192P	—	364192P
Spin 20	18"	4192P	—	364192P
Trac 240 (2 brushes)	11" - 5.53" CH	P74	P74	36P74
Trac 280 (2 brushes)	14" - 5.53" CH	P74	P74	36P74
Trac 320 (2 brushes)	16" - 5.53" CH	P74	P74	36P74
Trac 380 (2 brushes)	19" - 5.53" CH	P74	P74	36P74
Warrior 28D	14"	N/A	N/A	36P74

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
-------------------------------------	------------	-----------------------------------	-----------------------------------	---------------------

NILFISK-ADVANCE (Advance) (continued)

Warrior 32D	16"	N/A	N/A	36P74
Whirlamatic 200	18"	4147P	—	364147P
Whirlamatic 1100 - high speed pad driver	18"	CALL*		

NOBLES

11	9"	4192P	—	364192P
21 (2 brushes)	10" - 4" CH	N/A		
24 (2 brushes)	12" - 4" CH	N/A		
32 (2 brushes)	15" - 4" CH	N/A		
260 (2 brushes)	12-3/4"/13"	CALL*		
265XP (2 brushes)	12"/13"	CALL*		
320 (2 brushes)	15"/15-1/4"	CALL*		
1125LT	9"	4192P	—	364192P
1400 Series	12"	4192P	—	364192P
2000 Series	18"	4192P	—	364192P
2300 Series	21"	4192P	—	364192P
5300	19"	CALL*		
EZ Rider HP (2 brushes)	14"	4108	—	364108
SS-14, SPR-14	12"	4192P	—	364192P
SS-16, SPR-16	14"	4192P	—	364192P
SS-17, SPR-17	15"	4192P	—	364192P
SS-19, SPR-19	17"	4192P	—	364192P
SS-20, SPR-20	18"	4192P	—	364192P
SS-22, SPR-22	20"	4192P	—	364192P
SS-23, SPR-23	21"	4192P	—	364192P
SS-1700	15" - 5.53" CH	P74	RC69	36P74
SS-2000, SS-2001	19" - 5.53" CH	P74	RC69	36P74
SS-2400 (2 brushes)	11" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	12" - 5.53" CH	P74	RC69	36P74
SS-2401 (2 brushes)	11" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II, Dyna-Scrub®, and pad driver	12"	CALL*		
SS-2601 (2 brushes)	12" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	12-1/2"	CALL*		
SS-2700 (2 brushes)	13" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	13-1/2" - 5.53" CH	P74	RC69	36P74
SS-2701 (2 brushes)	13" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	13-1/2"	CALL*		
SS-3300 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	16-1/2" - 5.53" CH	P74	RC69	36P74
SS-3301 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	16-1/2"	CALL*		
SS-5300	19"	CALL*		
Tuff Scrub 3300 (2 brushes)	16" - 5.53" CH	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	16-1/2" - 5.53" CH	P74	RC69	36P74

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
-------------------------------------	------------	-----------------------------------	-----------------------------------	---------------------

NORTH AMERICAN

TTB 665/200s (2 brushes)	12"	CALL*		
TT455s	20"	CALL*		
Twintec 345	16"	CALL*		

PACIFIC

13, Satellite 13	11"	4192P	—	364192P
14	12"	4192P	—	364192P
15	13"	4192P	—	364192P
16, Satellite 16	14"	4192P	—	364192P
17	15"	4192P	—	364192P
19, 19A	17"	4192P	—	364192P
PS-20	18"	4192P	—	364192P
21	19"	4192P	—	364192P
22	20"	4192P	—	364192P
23, 23A	21"	4192P	—	364192P
24	22"	4192P	—	364192P
PCP-13	11"	4192P	—	364192P
PCP-15	13"	4192P	—	364192P
PCP-17	15"	4192P	—	364192P
PCP-20	18"	4192P	—	364192P
PCP-23	21"	4192P	—	364192P
PHS-17	15"	4192P	—	364192P
PHS-19	17"	4192P	—	364192P
PHS-20DC	18"	4192P	—	364192P

PONSELL ATLAS

A-15	13" - 5" CH	N/A		
CR-134	11"	N/A		
CR-154, CR-155, CR156	13"	N/A		
CR-175, CR-176, CR-177	15"	N/A		
CR-196, CR197	17"	N/A		
CR-206, CR-207	18"	N/A		
CR-226, CR-227	20"	N/A		
DS-14, E-15, G-15, H-15	13" - 5" CH	N/A		
DS-16, I-16	14" - 5" CH	N/A		
DS-19, I-19, O-19	17" - 5" CH	N/A		
Q-11	9" - 2-1/8" CH	P10	—	36P10
Q-12, Q-13	12" - 5" CH	N/A		
Q-15, QS-15	13" - 5" CH	N/A		
Q-16, QS-16	14" - 5" CH	N/A		
Q-18	16" - 5" CH	N/A		
Q-19	17" - 5" CH	N/A		
V-16, VS-16	14" - 5" CH	N/A		
V-19, VS-19	17" - 5" CH	N/A		
V-22	20" - 5" CH	N/A		

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
50	14"	4192P	—	364192P
2S-16	14" - 5" CH	4101G	—	364101G
2S-17	15" - 5" CH	4101G	—	364101G
2S-20	18" - 5" CH	4101G	—	364101G
2S-23	21" - 5" CH	4101G	—	364101G
A-12	9" - 5" CH	4101G	—	364101G
A-14	12" - 5" CH	4101G	—	364101G
A-16	14" - 5" CH	4101G	—	364101G
B-13D	11"	4192P	—	364192P
B-14D	12"	4192P	—	364192P
B-16 Series	14"	4192P	—	364192P
B-18 Series	16"	4192P	—	364192P
B-20 Series	18"	4192P	—	364192P
B-22F	20"	4192P	—	364192P
C-12	9"	4192P	—	364192P
C-16D, C-16E	14"	4192P	—	364192P
C-18D	16"	4192P	—	364192P
C-20 Series	18"	4192P	—	364192P
C-22F	20"	4192P	—	364192P
C-24F	22"	4192P	—	364192P
CD-12	9" - 5" CH	4101G	—	364101G
CD-14	12" - 5" CH	4101G	—	364101G
CD-16	14" - 5" CH	4101G	—	364101G
CH-11	9"	4192P	—	364192P
D-18F	16"	4192P	—	364192P
ES2000	18"	4192P	—	364192P
Expert-13	11"	4192P	—	364192P
Expert-16	14"	4192P	—	364192P
Expert-18	16"	4192P	—	364192P
Expert-20	17"	4192P	—	364192P
Expert-22	20"	4192P	—	364192P
Gloss Boss 1090, 1500, 2000	18"	CALL*		
- high speed pad driver				
Heavy-Duty 15	13" - 4-1/4" CH	N/A		
HS18F	16"	4192P	—	364192P
HST-20 (2 brushes)	9"	4192P	—	364192P
J-12A	9"	4192P	—	364192P
JW-12	10"	4192P	—	364192P
JW-13	11"	4192P	—	364192P
JW-16	14"	4192P	—	364192P
JW-18	16"	4192P	—	364192P
JW-20	17"	4192P	—	364192P
JW-22	20"	4192P	—	364192P
Jubilee 12	9" - 5" CH	4101G	—	364101G
M-13-1/2	11"	4183P	—	364183P
M-15-1/2	13"	4183P	—	364183P
M-16E, M-16F	14"	4192P	—	364192P

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
M-17	15"	4183P	—	364183P
M-20 Series	18"	4192P	—	364192P
M-23	21"	4183P	—	364183P
P-12B, P-12C	10"	4192P	—	364192P
P-12-1/2	11"	4192P	—	364192P
P-13B, P-13C	11"	4192P	—	364192P
P-14, PC-14, PR-14	12"	4192P	—	364192P
P-16, PC-16, PR-16, PX-16	14"	4192P	—	364192P
P-18, PC-18, PR-18	16"	4192P	—	364192P
P-20 Series, PES-2000	18"	4192P	—	364192P
P-22 Series	20"	4192P	—	364192P
P-24 Series	22"	4192P	—	364192P
S-17 Series	15"	4192P	—	364192P
S-20 Series	18"	4192P	—	364192P
Scrub Boss SB26 (2 brushes)	12" - 5-1/8" CH	N/A		
Scrub Boss SB32 (2 brushes)	15" - 5-1/8" CH	N/A		
Single 13	11"	4192P	—	364192P
Single 14	12"	4192P	—	364192P
Single 16	14"	4192P	—	364192P
Single 18, Single 19	16"	4192P	—	364192P
Single 20	17"	4192P	—	364192P
Single 22	20"	4192P	—	364192P
Single 24	21"	4192P	—	364192P
Special 12	10"	4192P	—	364192P
Special 16	14"	4192P	—	364192P
Special 20E	18"	4192P	—	364192P
Super 12	9"	4192P	—	364192P
Super 16	14"	4192P	—	364192P

PULLMAN-HOLT (Holt) (continued)

RPS (Factory Cat/Tomcat)

See Factory Cat/Tomcat on page 87.

STANDARDIZED SANITATION SYSTEMS (SSS)

15	13"	4192P	—	364192P
16	14"	4192P	—	364192P
17	15"	4192P	—	364192P
19, 19A	17"	4192P	—	364192P
21	19"	4192P	—	364192P
23, 23A	21"	4192P	—	364192P

STAR

Hydrodyne 33 sectional (8 per set)	460	—		
Hydrodyne 46 sectional (12 per set)	460	—		
Hydrodyne 60, SS60 sectional (16 per set)	460	—		

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
TASKI				
Hi-Speed	15"	CALL*		
Combimat 55 (2 brushes)	11" - 4" CH	N/A		
Except Scrub-Grit® II & Dyna-Scrub®	12" - 4" CH	N/A		
Combimat 85 (2 brushes)	16" - 4" CH	N/A		
Except Scrub-Grit® II & Dyna-Scrub®	17" - 4" CH	N/A		
1000E	19" - 4" CH	N/A		
Combimat 1500 (2 brushes)	11"	CALL*		
Combimat 1700 (2 brushes)	14"	CALL*		
Combimat 1900 (2 brushes)	17"	CALL*		

TENNANT (Tennant Trend)

260, 260XP (2 brushes)	12-3/4"/13"	CALL*		
320 (2 brushes)	15"/15-1/4"	CALL*		
426 (2 brushes)	12" - 4-23/64" CH	N/A		
Except Scrub-Grit® II & Dyna-Scrub®	12-1/2"	N/A		
432 (2 brushes)	16" - 5-1/2" CH	P48	N/A	
465, 1465 (2 brushes)	12"	4108	—	364108
480, 1480 (2 brushes)	16"	4108	—	364108
490, 1490 (2 brushes)	18"	4108	—	364108
510E, 515, 7300, 8010, 8200, 8210,	20"	4108	—	364108
8300, Max Pro 1000 (2 brushes)				
515, 7300, 7400, 8010, 8200, 8210,	16"	4108	—	364108
8300, Max Pro 1200 (3 brushes)				
528, 530	12-1/2"	4108	—	364108
2100	11"	4192P		364192P
2120, 2140, 2160	15"	4192P		364192P
2130, 2150, 2170	18"	4192P		364192P
5200	19"	P74	RC69	36P74
5280, 5300	19"	CALL*		
5400-24D (2 brushes)	11"	4109	—	364109
Except one each 11" and 12"				
Scrub-Grit® II or Dyna-Scrub®				
5400-26D (2 brushes)	12-1/2"	4109	—	364109
Except pad driver	12"	4109	—	364109
5500 (2 brushes)	11"	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	12"	P74	RC69	36P74
5520 (2 brushes)	12"	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	12-1/2"	P74	RC69	36P74
5540 (2 brushes)	13"	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	13-1/2"	P74	RC69	36P74
5560 (2 brushes)	16"	P74	RC69	36P74
Except Scrub-Grit® II & Dyna-Scrub®	16-1/2"	P74	RC69	36P74
5680-700D, 5700-700D, 7100-28D,	14"	4108	—	364108
7200 Tight Aisle (2 brushes)				
5680-800D, 5700-800D, 7100-32D	16"	4108	—	364108
(2 brushes)				
5680-900D, 5700-900D, 7200D (2 brushes)	18"	4108	—	364108

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
TENNANT (Tennant Trend) (continued)				
8400, 8410, Max Pro 1200 (3 brushes)	16"	4108	—	364108
Powerline 17	15"	CALL*		
Powerline 20	18"	CALL*		
Power Trend 15	14"	4192P	—	364192P
Power Trend 17	16"	4192P	—	364192P
Power Trend 20	19"	4192P	—	364192P
S250 (2 brushes)	12"/12-1/2"	CALL*		
Servomatic 17	15" - 4-15/16" CH	N/A		
Servomatic 26, 261 (2 brushes)	12" - 4-23/64" CH	N/A		
Except Scrub-Grit® II & Dyna-Scrub®	12-1/2"	N/A		
Servomatic 32 (2 brushes)	15" - 4-23/64" CH	N/A		
Viking 15	14"	N/A		

TENNANT TREND (Tennant)

See Tennant listing on this page.

THORO-MATIC

SE 15	13"	4192P	—	364192P
SE 17	15"	4192P	—	364192P
SE 20	18"	4192P	—	364192P
SE 22	20"	4192P	—	364192P
TM 12	10" - 3-25/32" CH	P15	—	36P15
TM 13	11"	4192P	—	364192P
TM 15	13"	4192P	—	364192P
TM 17, TM 17-TS	15"	4192P	—	364192P
TM 20, TM 20 TS (2 speed)	18"	4192P	—	364192P
TM 22	20"	4192P	—	364192P
TM 300-17	15"	4192P	—	364192P
TM 300-20 (2 speed)	18"	4192P	—	364192P

TORNADO (Breuer)

15	13"	4192P	—	364192P
17	15"	4192P	—	364192P
19	17"	4192P	—	364192P
20-1	18"	4192P	—	364192P
22	20"	4192P	—	364192P
73 Series	12" - 5" CH	N/A		
75 Series	14" - 5" CH	N/A		
77 Series	16" - 5" CH	N/A		
94 Series	12"	4192P	—	364192P
96, 97	14"	4192P	—	364192P
98	16"	4192P	—	364192P
130, 131, 132	11" - 4" CH	N/A		
280-15, 283-15	13"	4192P	—	364192P
280-17, 283-17	15"	4192P	—	364192P
280-19, 283-19	17"	4192P	—	364192P
280-22, 283-22	20"	4192P	—	364192P

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
TORNADO (Breuer) (continued)				
940 Series, 941	12"	4192P	—	364192P
960, 961, 962	14"	4192P	—	364192P
980, 981	16"	4192P	—	364192P
990	20"	4192P	—	364192P
6200, 6300	10" - 5" CH	N/A		
6400, 6500	12" - 5" CH	N/A		
6600, 6700	14" - 5" CH	N/A		
6800, 6900	16" - 5" CH	N/A		
95625 (21" Auto-Mite)	19" - 4-5/8" CH	N/A		
95678/95679 (16" Auto-Mite)	14" - 4-5/8" CH	N/A		
97800 (16" Series I)	14"	4192P	—	364192P
97805 (18" Series I)	16"	4192P	—	364192P
97810 (20" Series I)	18"	4192P	—	364192P
97820 (14" Series I)	12"	4192P	—	364192P
98405 (17" Series II)	15"	4192P	—	364192P
98410 (19" Series II)	17"	4192P	—	364192P
98415 (22" Series II)	20"	4192P	—	364192P
98440 (Glazer 700/1500)	18"	CALL*		
98441 (Glazer 1100, 1600)	18"	CALL*		
98445 (Glazer 1100, 1400)	18"	CALL*		
98457 (Glazer 1500)	18"	CALL*		
98470 (16" Bi-Speed)	14"	4192P	—	364192P
98473 (17" Bi-Speed)	15"	4192P	—	364192P
98480 (20" Bi-Speed)	18"	4192P	—	364192P
98653 (Tri-Drive 1017)	15"	4192P	—	364192P
98656 (Tri-Drive 1020)	18"	4192P	—	364192P
98663 (Tri-Drive 1517)	15"	4192P	—	364192P
98666 (Tri-Drive 1520)	18"	4192P	—	364192P
98672 (17" ES Deluxe)	15"	4192P	—	364192P
98673 (ES8673 - 17" Deluxe)	15"	4192P	—	364192P
98674 (20" ES Deluxe)	18"	4192P	—	364192P
98675 (ES8675 - 20" Deluxe)	18"	4192P	—	364192P
98677 (1517SSM)	15"	4192P	—	364192P
98682 (ES8682 - 17" Standard)	15"	4192P	—	364192P
98683 (ES8683 - 17" Standard)	15"	4192P	—	364192P
98684 (ES8684 - 20" Standard)	18"	4192P	—	364192P
98685 (ES8685 - 20" Standard)	18"	4192P	—	364192P
99125 (EZ-20 Floorkeeper)	19"	4192P	—	364192P
Except Scrub-Grit® II, Dyna-Scrub®, and pad drivers	20"	4192P	—	364192P
99130 (EZ-24 Floorkeeper)	22"	4192P	—	364192P
99300 (F loorkeeper 3800) (2 brushes)	11"/12"	CALL*		
99307 (26" Floorkeeper) (2 brushes)	14"	CALL*		
99321 (24" Floorkeeper) (2 brushes)	12"/13"	CALL*		
99351 (28" Floorkeeper) (2 brushes)	14"/15"	CALL*		
99407 (33" Mid-Range Floorkeeper)	16"/16-1/2"	CALL*		

(2 brushes)

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
TORNADO (Breuer) (continued)				
99421 (32" Long-Range Floorkeeper)	16"/16-1/2"	CALL*		
(2 brushes)				
99430 (30" Floorkeeper) (2 brushes)	16"	CALL*		
99450, 99451	18"	CALL*		
(36" Long-Range Floorkeeper) (2 brushes)				
Champion	10" - 5-1/4" CH	N/A		
Cyclone 14-1/2	12"	4192P	—	364192P
Cyclone 16-1	14"	4192P	—	364192P
Cyclone 18-1	16"	4192P	—	364192P
Jumbo	14" - 6-1/8" CH	N/A		
Majestic	18" - 6-1/8" CH	N/A		
Royal	12" - 5-1/4" CH	N/A		
Standard	16" - 6-1/8" CH	N/A		

UNITED (UNICO)

112, 112B, 112C	10"	4192P	—	364192P
CSU-12B	10"	4192P	—	364192P
CSU-13	11"	4192P	—	364192P
CSU-14	12"	4192P	—	364192P
CSU-15	13"	4192P	—	364192P
CSU-16	14"	4192P	—	364192P
CSU-17	15"	4192P	—	364192P
CSU-20	18"	4192P	—	364192P
CSU-112	10"	4192P	—	364192P
P60-15	13"	4192P	—	364192P
P60-17	15"	4192P	—	364192P
P60-20	18"	4192P	—	364192P
S-12 Aero	10"	4192P	—	364192P
SBU-13	11"	4192P	—	364192P
SBU-14	12"	4192P	—	364192P
SBU-15, S60-16	13"	4192P	—	364192P
SBU-16	14"	4192P	—	364192P
SBU-17, S60-17	15"	4192P	—	364192P
SBU-20, S60-20	18"	4192P	—	364192P
SBU-20SS - high speed pad driver	18"	CALL*		
SBU-24	22"	4192P		364192P

VIPER

DR17125, DR17175	15"	4192P	—	364192P
DR20125, DR20175	18"	4192P	—	364192P
Fang 20	18"	P74	RC69	36P74
Fang 26T	12"	P74	RC69	36P74
*VN1720P - 17"	15"	4192P	—	364192P
*VN1720P - 20"	18"	4192P	—	364192P

* Model VN1720P is sold by the manufacturer with both a 17" and 20" deck.

MACHINE LISTINGS

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
WINDSOR				
Lightning 175-17	15"	4183P	—	364183P
Lightning 175-20	18"	4183P	—	364183P
Merit 175-17 (MD-17)	15"	4183P	—	364183P
Merit 175-20 (MD-20)	18"	4183P	—	364183P
Merit MP13	11"	4192P	—	364192P
Merit MP15	13"	4192P	—	364192P
Merit MP17X	15"	4192P	—	364192P
Merit MP20X	18"	4192P	—	364192P
PowerTec 17	16"	CALL*		
Except Scrub-Grit® II & Dyna-Scrub®	17"	CALL*		
PowerTec 20	18"	CALL*		
Except Scrub-Grit® II & Dyna-Scrub®	19"	CALL*		
PowerTec 24	21"	CALL*		
PowerTec 26 (2 brushes)	13"	CALL*		
PowerTec 28 (2 brushes)	14"	CALL*		
PowerTec 32 (2 brushes)	16"	CALL*		
PowerTec 34 (2 brushes)	17"	CALL*		
Quick 32 (2 brushes)	15"	CALL*		
Saber 24 (2 brushes)	11"	CALL*		

Machine Manufacturer's Model Number	Block Dia.	Previous Suggested Flo-Pac® Plate	Previous Suggested Carlisle Plate	New Suggested Plate
WINDSOR (continued)				
Saber 26 (2 brushes)	12"	CALL*		
Saber 28 (2 brushes)	13"/13-1/2"	4112	—	364112
Saber Cutter 26 (2 brushes)	12"	CALL*		
Saber Glide 28 (2 brushes)	13"	4112*	—	364112
Except Scrub-Grit® II & Dyna-Scrub®	13-1/2"	4112*	—	364112
Saber Glide 28/36 (3 brushes)	11"	4112*	—	364112
Saber Glide 32, Saber Cutter 32 (2 brushes)	15"	4112*	—	364112
Saber 34 (2 brushes)	16"	CALL*		
Except Scrub-Grit® II & Dyna-Scrub®	17"	CALL*		
Saber Compact 17	17"	CALL*		
Saber Compact 20	19"	4112*	—	364112
Tracker AS34 (2 brushes)	17"	CALL*		
Trident Compact 17	16"	CALL*		
Except Scrub-Grit® II & Dyna-Scrub®	17"	CALL*		
Trident Compact 20	19"	CALL*		
Trident TR28 (2 brushes)	14"	CALL*		
Trident TR34 (2 brushes)	17"	CALL*		

* Fits new machines with star style plates only. Old style hex shaped plate not available from Flo-Pac®.

CALL* – Call Customer Service for brush types available in these special sizes.

WARNING: Do not use brushes, pads, or tools with flammable materials as serious bodily injury could result.

CARLISLE'S FLO-PAC® BRAND BRUSHES

CHOOSE A PROVEN SOURCE FOR REPLACEMENT BRUSHES

Flo-Pac® has over 50 years experience in manufacturing replacement brushes for power sweepers and scrubbers. Combine this experience with modern production equipment and you can be assured of exact brush fit and trouble-free sweeping or scrubbing.

Flo-Pac® offers a full line of replacement brushes to fit Nilfisk-Advance, Clarke American-Lincoln, Factory Cat/Tom Cat, and Tennant equipment, and disc style brushes to fit most popular floor machines.

All of Carlisle's Flo-Pac® Brand brushes meet industry standards for quality and performance.



FAST REPLACEMENT SERVICE

When you need a replacement brush, you need it immediately. Carlisle's Atlanta, GA; Charlotte, NC; Reno, NV and Oklahoma City, OK distribution centers can quickly supply our customers with stock brushes.



CHOOSE THE CORRECT BRUSH

Brushes are a vital part of a power sweeper or scrubber. That is why Flo-Pac® brushes are designed for an exact fit, in several bristle types and patterns to meet a wide range of cleaning applications.


When it is time to replace your brushes, do it carefully. The choice of the right brush can increase productivity of your machine and result in cost savings. Replacement brush choices are listed by machine make and model, or by OEM part number on the cross-reference lists on pages 98-107.




BRISTLE PATTERNS




Flo-Pac® brushes are available in several bristle patterns to match the size and power of your equipment.




Cylindrical Sweep
Double Row
(6, 8, 12, and 16 D.R.)




Cylindrical Sweep
High-Density
Single Row
(Full-Fill)
(16, 18, and 24 S.R.)



Side Sweep
Single Row
(2, 3, and 4 S.R.)



Cylindrical Scrub
Single Row
(18 and 24 S.R.)



Disc Scrub
Multiple Row
(4-11 Row,
Depending on Diameter)

BRISTLE TYPES


Several bristle types are available for a wide range of cleaning applications, ranked below by aggressiveness.

Sweeping Brushes	Flat Wire (Side)	Crinkle Wire	Poly & Wire Proex & Wire	Union Wire	Poly Nylon	Poly Proex	Union		
			← more aggressive ←						
Scrubbing Brushes	.070" Grit	.060" Grit	.050" Grit	Wire	.022" Grit	.018" Grit	Poly Nylon	Bassine Soft Nylon	Soft Poly

BRUSH ADJUSTMENT

When replacing the cylindrical brushes on your sweeper or scrubber, the suggestions below will give longer bristle life and maximum performance:

- follow the directions from your equipment manual to remove and install brushes
- start the machine and lower the brush until you can hear or feel it sweep the floor; don't lower the brush any further at this time; if installing, do not turn on water
- let the brush sweep the floor for approximately 20 seconds; raise the brush and move the machine away; a 1-1/2" to 2" wide strip on the floor where the brush made contact should be visible
- if one end is wider than the other, the brush mounting needs adjustment (refer to your equipment manual)
- check the brush chamber to assure that the brush arms are free to move
- a properly adjusted brush mounting will increase brush performance life, reduce excessive vibration, and prevent equipment damage



mis-adjusted



properly adjusted

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Replacement Brushes to Fit NILFISK-ADVANCE SWEEPERS & SCRUBBERS

Flo-Pac® brushes to fit Nilfisk-Advance equipment are designed and built to match industry standards for product performance. A range of bristle types are offered below, listed in order of aggressiveness.

Flo-Pac® Brushes to fit Nilfisk-Advance Sweepers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models Retriever 360B, 3600			
701126	36701126	56475024/56505607	26" - 18 S.R. Union & Wire
701626	36701626	56474936/56505608	26" - 6 D.R. Union & Wire
700926	36700926	56505609	26" - 9 D.R. Poly
803110	36803110	56473936	10" - 2 S.R. Poly (Side)
Model Retriever 2060, 6250			
700545	36700545	56505240	45" - 8 D.R. Poly & Wire
700345	36700345	56505210	45" - 8 D.R. Nylon
700445	36700445	56505071	45" - 8 D.R. Poly
803213	36803213	56418837	13" - 3 S.R. Nylon (Side)
803113	36803113	56477812	13" - 3 S.R. Poly (Side)
Model Retriever 4600B			
705934	36705934	56416093	34" - 6 D.R. Poly
700434	36700434	56416663	34" - 6 D.R. Proex
804110	36804110	56462252	10" - 3 S.R. Poly (Side)
Model Retriever 5100G/P/D/PS			
705940	36705940	56505047	40" - 16 D.R. Stiff Poly
704940	36704940	56505046	40" - 16 D.R. Polycorn & Poly
703940	36703940	56505044/56505165	40" - 8 D.R. Polycorn & Poly
803413	36803413	56477766	13" - 3 S.R. Wire (Side)
803113	36803113	56477812	13" - 3 S.R. Poly (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model Retriever 5200			
703536	36703536	56493503	36" - 12 D.R. Poly & Wire
704936	36704936	56493512/56505267	36" - 12 D.R. Polycorn & Poly
703936	36703936	56493506/56505266	36" - 8 D.R. Polycorn & Poly
803413	36803413	56477766	13" - 3 S.R. Wire (Side)
803113	36803113	56477812	13" - 3 S.R. Poly (Side)
Models Retriever 560, 5600, 5800B/G/P/D			
703744	36703744	56477750	44" - 12 D.R. Wire
703544	36703544	56477748	44" - 16 D.R. Poly & Wire
705944	36705944	56505614	44" - 16 D.R. Stiff Poly
704944	36704944	56505616	44" - 16 D.R. Polycorn & Poly
703944	36703944	56505613/56505197	44" - 8 D.R. Polycorn & Poly
803413	36803413	56477766	13" - 3 S.R. Wire (Side)
803113	36803113	56477812	13" - 3 S.R. Poly (Side)
Model Retriever 6600XP			
705950*	36705950	56505602	50" - 16 D.R. Stiff Poly
704950*	36704950	56505600/56505660	50" - 16 D.R. Polycorn & Poly
703950*	36703950	56505603/56505169	50" - 8 D.R. Polycorn & Poly
803418	36803418	56486011/56486001	18" - 3 S.R. Wire (Side)
803118	36803118	56487453	18" - 3 S.R. Poly (Side)

* These brushes are too large for UPS shipment and will ship common carrier.

Flo-Pac® Brushes to fit Nilfisk-Advance Sweeper-Scrubbers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model Captor 4300			
Scrubber Brushes - order 3 brushes			
14000ST X P74	R140GKZC130TKNK	56505941	14" - .060"/46 Grit
14000GN X P74	R140GJZC130TKNK	56505942	14" - .050"/80 Grit
14000SG X P74	R140GIZC130TKNK	56505948	14" - .035"/180 Grit
14000PS X P74	R140GCZC136TKNK	56505947	14" - .022"/120 Grit
14000DS X P74	R140GBZC136TKNK	56505943	14" - .018"/500 Grit
1444-14 X P74	R140PEZC130TKNK	56505944	14" - .028" Poly
1442-14 X P74	R140PCZC130TKNK	56505945	14" - .022" Poly
14000U X P74	R140UNZC130TKNK	56505946	14" - Union Mix
1524-14 X P74 X 3522	R140XLZC131TKNK	56505940	14" - Pad Driver w/Holder
Models Captor 4800			
Scrubber Brushes - order 3 brushes			
16000ST X P74	R160GKZC130TKNK	56505781	16" - .060"/46 Grit
16000GN X P74	R160GJZC130TKNK	56505782	16" - .050"/80 Grit
16000SG X P74	R160GIZC130TKNK	56505788	16" - .035"/180 Grit
16000PS X P74	R160GCZC136TKNK	56505787	16" - .022"/120 Grit
16000DS X P74	R160GBZC136TKNK	56505783	16" - .018"/500 Grit
1444-16 X P74	R160PEZC130TKNK	56505784	16" - .028" Poly
1442-16 X P74	R160PCZC130TKNK	56505785	16" - .022" Poly
16000U X P74	R160UNZC130TKNK	56505786	16" - Union Mix
1524-16 X P74 X 3522	R160XLZC131TKNK	56505780	16" - Pad Driver w/Holder

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Captor 5400			
Scrubber Brushes - order 4 brushes			
13000ST X P74	R130GKZC130TK	56505801	13" - .060"/46 Grit
13000GN X P74	R130GJZC130TK	56505802	13" - .050"/80 Grit
13000SG X P74	R130GIZC130TK	56505808	13" - .035"/180 Grit
13000PS X P74	R130GCZC136TK	56505807	13" - .022"/120 Grit
13000DS X P74	R130GBZC136TK	56505803	13" - .018"/500 Grit
1444-13 X P74	R130PEZC130TK	56505804	13" - .028" Poly
1442-13 X P74	R130PCZC130TK	56505805	13" - .022" Poly
13000U X P74	R130UNZC130TK	56505806	13" - Union Mix
1524-13 X P74 X 3522	R130XLZC131TK	56505800	13" - Pad Driver w/Holder

CALL* - Call Customer Service at 1-800-654-8210.

Guarantee - All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Brushes to fit Nilfisk-Advance Scrubbers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models Hydro-Retriever 2067, 4500			
Main Sweeper Brooms			
700545	36700545	56505240	45" - 8 D.R. Poly & Wire
700445	36700445	56505071	45" - 8 D.R. Poly
804110	36804110	56462252	10" - 3 S.R. Poly (Side)
Scrubber Brushes - order 4 brushes			
11000ST x P74	R110GKZC130TKNK	56505751	11" - .060"/46 Grit
11000GN x P74	R110GJZC130TKNK	56505752	11" - .050"/80 Grit
11000SG x P74	R110GIZC130TKNK	56505758	11" - .035"/180 Grit
11000PS x P74	R110GCZC136TKNK	56505757	11" - .022"/120 Grit
11000DS x P74	R110GBZC136TKNK	56505753	11" - .018"/500 Grit
1444-11 x P74	R110PEZC130TKNK	56505754	11" - .028" Poly
1442-11 x P74	R110PCZC130TKNK	56505755	11" - .022" Poly
11000U x P74	R110UNZC130TKNK	56505756	11" - Union Mix
1524-11 x P74 x 3522	R110XLZC131TKNK	56505750	11" - Pad Driver w/Holder
Models Hydro-Retriever 2052, 5000, 5010, 5015			
Main Sweeper Brooms			
705936	36705936	56505001	36" - 6 D.R. Poly
751436	36751436	56505617	36" - 6 D.R. Proex Herringbone
803110	36803110	56473936	10" - 2 S.R. Poly (Side)
Scrubber Brushes - order 4 brushes			
12000ST x P74	R120GKZC130TKNK	56505761	12" - .060"/46 Grit
12000GN x P74	R120GJZC130TKNK	56505762	12" - .050"/80 Grit
12000WI x P74	R120WFZC130TKNK	56550670	12" - Wire
12000SG x P74	R120GIZC130TKNK	56505768	12" - .035"/180 Grit
12000PS x P74	R120GCZC136TKNK	56505767	12" - .022"/120 Grit
12000DS x P74	R120GBZC136TKNK	56505763	12" - .018"/500 Grit
1444-12 x P74	R120PEZC130TKNK	56505764	12" - .028" Poly
1442-12 x P74	R120PCZC130TKNK	56505765	12" - .022" Poly
12000U x P74	R120UNZC130TKNK	56505766	12" - Union Mix
1524-12 x P74 x 3522	R120XLZC131TKNK	56505760	12" - Pad Driver w/Holder
Model Hydro-Retriever 200HD - order 1 brush			
18000ST x 4147P	R180GK50ZMOTFNK	56505058	18" - .060"/46 Grit
18000GN x 4147P	R180GJ50ZMOTFNK	56505048	18" - .050"/80 Grit
18000SG x 4147P	R180GI50ZMOTFNK	56505079	18" - .035"/180 Grit
18000PS x 4147P	R180GC50ZMOTFNK	56505083	18" - .022"/120 Grit
18000DS x 4147P	R180GB50ZMOTFNK	56505063	18" - .018"/500 Grit
1444-18 x 4147P	R180PE50ZMOTFNK	56505450	18" - .028" Poly
1442-18 x 4147P	R180PC50ZMOTFNK	56505077	18" - .022" Poly
18000U x 4147P	R180UN50ZMOTFNK	56505454	18" - Union Mix
1524-18 x 4147P x 3522	R180XL50ZM1TFNK	56505455	18" - Pad Driver w/Holder
Model Hydro-Retriever 240HD - order 2 brushes			
11000ST x P74	R110GKZC130TKNK	56505751	11" - .060"/46 Grit
11000GN x P74	R110GJZC130TKNK	56505752	11" - .050"/80 Grit
11000SG x P74	R110GIZC130TKNK	56505758	11" - .035"/180 Grit
11000PS x P74	R110GCZC136TKNK	56505757	11" - .022"/120 Grit
11000DS x P74	R110GBZC136TKNK	56505753	11" - .018"/500 Grit
1444-11 x P74	R110PEZC130TKNK	56505754	11" - .028" Poly
1442-11 x P74	R110PCZC130TKNK	56505755	11" - .022" Poly
11000U x P74	R110UNZC130TKNK	56505756	11" - Union Mix
1524-11 x P74 x 3522	R110XLZC131TKNK	56505750	11" - Pad Driver w/Holder

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models Convertamatic 260B, Hydro-Retriever 265HD, Converta Max 26 - order 2 brushes			
12000ST x P74	R120GKZC130TKNK	56505761	12" - .060"/46 Grit
12000GN x P74	R120GJZC130TKNK	56505762	12" - .050"/80 Grit
12000WI x P74	R120WFZC130TKNK	56550670	12" - Wire
12000SG x P74	R120GIZC130TKNK	56505768	12" - .035"/180 Grit
12000PS x P74	R120GCZC136TKNK	56505767	12" - .022"/120 Grit
12000DS x P74	R120GBZC136TKNK	56505763	12" - .018"/500 Grit
1444-12 x P74	R120PEZC130TKNK	56505764	12" - .028" Poly
1442-12 x P74	R120PCZC130TKNK	56505765	12" - .022" Poly
12000U x P74	R120UNZC130TKNK	56505766	12" - Union Mix
1524-12 x P74 x 3522	R120XLZC131TKNK	56505760	12" - Pad Driver w/Holder
Models 280HD, Hydro-Retriever 285HD, 2800, I-Max 28HD - order 2 brushes			
14000ST x P74	R140GKZC130TKNK	56505771	14" - .060"/46 Grit
14000GN x P74	R140GJZC130TKNK	56505772	14" - .050"/80 Grit
14000SG x P74	R140GIZC130TKNK	56505778	14" - .035"/180 Grit
14000PS x P74	R140GCZC136TKNK	56505777	14" - .022"/120 Grit
14000DS x P74	R140GBZC136TKNK	56505773	14" - .018"/500 Grit
1444-14 x P74	R140PEZC130TKNK	56505774	14" - .028" Poly
1442-14 x P74	R140PCZC130TKNK	56505775	14" - .022" Poly
14000U x P74	R140UNZC130TKNK	56505776	14" - Union Mix
1524-14 x P74 x 3522	R140XLZC131TKNK	56505770	14" - Pad Driver w/Holder
Models Hydro-Retriever 320BHD, 325HD, 3200, I-Max 34HD - order 2 brushes			
16000ST x P74	R160GKZC130TKNK	56505781	16" - .060"/46 Grit
16000GN x P74	R160GJZC130TKNK	56505782	16" - .050"/80 Grit
16000SG x P74	R160GIZC130TKNK	56505788	16" - .035"/180 Grit
16000PS x P74	R160GCZC136TKNK	56505787	16" - .022"/120 Grit
16000DS x P74	R160GBZC136TKNK	56505783	16" - .018"/500 Grit
1444-16 x P74	R160PEZC130TKNK	56505784	16" - .028" Poly
1442-16 x P74	R160PCZC130TKNK	56505785	16" - .022" Poly
16000U x P74	R160UNZC130TKNK	56505786	16" - Union Mix
1524-16 x P74 x 3522	R160XLZC130TKNK	56505780	16" - Pad Driver w/Holder
Models Hydro-Retriever 380BHD, 380HD, 385HD, 3800 - order 2 brushes			
19000ST x P74	R190GKZC130TKNK	56505791	19" - .060"/46 Grit
19000GN x P74	R190GJZC130TKNK	56505792	19" - .050"/80 Grit
19000SG x P74	R190GIZC130TKNK	56505798	19" - .035"/180 Grit
19000PS x P74	R190GCZC136TKNK	56505797	19" - .022"/120 Grit
19000DS x P74	R190GBZC136TKNK	56505793	19" - .018"/500 Grit
1444-19 x P74	R190PEZC130TKNK	56505794	19" - .028" Poly
1442-19 x P74	R190PCZC130TKNK	56505795	19" - .022" Poly
19000U x P74	R190UNZC130TKNK	56505796	19" - Union Mix
1524-19 x P74 x 3522	R190XLZC131TKNK	56505790	19" - Pad Driver w/Holder

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Replacement Brushes to fit ALTO/CLARKE AMERICAN-LINCOLN SWEEPERS AND SCRUBBERS

Flo-Pac® brushes to fit Alto/Clarke American-Lincoln equipment are designed and built to match industry standards for product performance. A range of bristle types are offered below, listed in order of aggressiveness.

Flo-Pac® Brushes to fit Alto/Clarke American-Lincoln Sweepers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 91WS, 114RS			
707227	36707227	8-08-03223	27" - 18 S.R. Nylon
707527	36707527	8-08-03230	27" - 6 D.R. Proex & Wire
707327	36707327	8-08-03222	27" - 6 D.R. Nylon
707427	36707427	8-08-03216	27" - 6 D.R. Proex
806108	36806108	8-08-03215	8" - 2 S.R. Poly (Side)
Model 436			
706527	36706527	8-08-03145	27 1/4" - 5 D.R. Proex & Wire
706327	36706327	8-08-03185	27 1/4" - 12 D.R. Nylon
806106	36806106	8-08-03166	6" - 2 S.R. Poly (Side)
Models 1000, 2000			
701142	36701142	8-08-03148	42" - 24 S.R. Union & Wire
701642	36701642	8-08-03158	42" - 8 D.R. Union & Wire
701542	36701542	8-08-03156	42" - 8 D.R. Proex & Wire
701342	36701342	8-08-03160	42" - 8 D.R. Nylon
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
807211	36807211	8-08-03132	11" - 2 S.R. Nylon (Side)
807111	36807111	8-08-03107	11" - 2 S.R. Poly (Side)
Models Smart 2000-40, 2000-46			
706536	36706536	8-08-03141	36" - 6 D.R. Proex & Wire
706336	36706336	8-08-03142	36" - 6 D.R. Nylon
706436	36706436	8-08-03137	36" - 6 D.R. Proex
806108	36806108	8-08-03215	8" - 2 S.R. Poly (Side)
Models ATS46/53, MPV60, MPV60 TS, 2160, 2160XP			
706145	36706145	8-08-03221	45" - 24 S.R. Union & Wire
706245	36706245	8-08-03220	45" - 24 S.R. Nylon
706545	36706545	8-08-03217	45" - 8 D.R. Proex & Wire
706345	36706345	8-08-03219	45" - 8 D.R. Nylon
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
806213	36806213	8-08-03211	13" - 3 S.R. Nylon (Side)
806113	36806113	8-08-03212	13" - 3 S.R. Poly (Side)
Model 2200			
706142	36706142	8-08-03189	42" - 24 S.R. Union & Wire
706242	36706242	8-08-03187	42" - 24 S.R. Nylon
706642	36706642	8-08-03171	42" - 8 D.R. Union & Wire
706542	36706542	8-08-03167	42" - 8 D.R. Proex & Wire
706942	36706942	8-08-03170	42" - 8 D.R. Poly
706342	36706342	8-08-03173	42" - 8 D.R. Nylon
706442	36706442	8-08-03168	42" - 8 D.R. Proex
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
806211	36806211	8-08-03177	11" - 2 S.R. Nylon (Side)
806111	36806111	8-08-03176	11" - 2 S.R. Poly (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 2260, 2260XP			
706142	36706142	8-08-03189	42" - 24 S.R. Union & Wire
706242	36706242	8-08-03187	42" - 24 S.R. Nylon
706642	36706642	8-08-03171	42" - 8 D.R. Union & Wire
706542	36706542	8-08-03167	42" - 8 D.R. Proex & Wire
706342	36706342	8-08-03173	42" - 8 D.R. Nylon
706442	36706442	8-08-03168	42" - 8 D.R. Proex
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
806213	36806213	8-08-03211	13" - 3 S.R. Nylon (Side)
806113	36806113	8-08-03212	13" - 3 S.R. Poly (Side)
Model 3000			
707254	36707254	8-08-03155	54" - 24 S.R. Nylon
707654	36707654	8-08-03163	54" - 8 D.R. Union & Wire
707554	36707554	8-08-03161	54" - 8 D.R. Proex & Wire
707354	36707354	8-08-03165	54" - 8 D.R. Nylon
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
807211	36807211	8-08-03132	11" - 2 S.R. Nylon (Side)
807111	36807111	8-08-03107	11" - 2 S.R. Poly (Side)
Models 3300, 7700, 7760			
707150	36707150	8-08-03198	50" - 24 S.R. Union & Wire
707250	36707250	8-08-03196	50" - 24 S.R. Nylon
707550	36707550	8-08-03180	50" - 8 D.R. Proex & Wire
707950	36707950	8-08-03200	50" - 8 D.R. Poly
707350	36707350	8-08-03193	50" - 8 D.R. Nylon
707450	36707450	8-08-03190	50" - 8 D.R. Proex
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
806211	36806211	8-08-03177	11" - 2 S.R. Nylon (Side)
806111	36806111	8-08-03176	11" - 2 S.R. Poly (Side)
Models 3366, 3366XP			
706150	36706150	8-08-03210	50" - 24 S.R. Union & Wire
706250	36706250	8-08-03208	50" - 24 S.R. Nylon
706550	36706550	8-08-03202	50" - 8 D.R. Proex & Wire
706950	36706950	8-08-03209	50" - 8 D.R. Poly
706350	36706350	8-08-03207	50" - 8 D.R. Nylon
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
806213	36806213	8-08-03211	13" - 3 S.R. Nylon (Side)
806113	36806113	8-08-03212	13" - 3 S.R. Poly (Side)
Models 6000, 6100			
706536	36706536	8-08-03141	36" - 6 D.R. Proex & Wire
706336	36706336	8-08-03142	36" - 6 D.R. Nylon
706436	36706436	8-08-03137	36" - 6 D.R. Proex
806110	36806110	8-08-03140	10" - 2 S.R. Poly (Side)

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Brushes to fit Alto/Clarke American-Lincoln Sweepers (continued)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 6150			
707136	36707136	8-08-03228	36" - 24 S.R. Union & Wire
707236	36707236	8-08-03227	36" - 24 S.R. Nylon
707536	36707536	8-08-03225	36" - 8 D.R. Proex & Wire
707336	36707336	8-08-03226	36" - 8 D.R. Nylon
707436	36707436	8-08-03224	36" - 8 D.R. Proex
806411	36806411	0880-439	11" - 2 S.R. Wire (Side)
806213	36806213	8-08-03211	13" - 3 S.R. Nylon (Side)
806113	36806113	8-08-03212	13" - 3 S.R. Poly (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 6200B, 6200H, 6200HC, 6200IC, 6200S, 6200SS, 6700, 6700B, 6700IC			
706540	36706540	7-08-03209	40" - 6 D.R. Proex & Wire
706340	36706340	7-08-03211	40" - 6 D.R. Nylon
706440	36706440	7-08-03210	40" - 6 D.R. Proex
806110	36806110	8-08-03140	10" - 2 S.R. Poly (Side)

Flo-Pac® Brushes to fit Alto/Clarke American-Lincoln Scrubbers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model ATS46, Smart 2000-46 with Lugs - Order 3 Brushes			
864316	36864316	0765-258	16" - .070" Grit
853316	36853316	0765-265	16" - .035" Grit
864116	36864116	0765-257	16" - Stiff Poly (.040")
864216	36864216	0765-256	16" - Medium Nylon (.028")
873216	36873216	0765-259	16" - Soft Nylon (.012")
873116	36873116	0780-434	16" - Pad Driver w/Holder

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model ATS53 with Lugs - Order 3 Brushes			
864318	36864318	0765-262	18" - .070" Grit
864118	36864118	0765-261	18" - Stiff Poly (.040")
864218	36864218	0765-260	18" - Medium Nylon (.028")
873218	36873218	0765-263	18" - Soft Nylon (.012")
873118	36873118	0780-445	18" - Pad Driver w/Holder

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 730i, 930i with Mounting Plate - Order 2 Brushes			
863314	36863314	7-08-03215-1	14" - .070" Grit
883114	36883114	7-08-03213-1	14" - Stiff Poly (.040")
863214	36863214	7-08-03216-1	14" - Medium Nylon (.028")
853214	36853214	7-08-03243-1	14" - Soft Nylon (.012")
894114	36894114	0772-067/068	14" - Pad Driver w/Holder

Models 730i and 930i require 5 each sectional style brushes per disc.

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 772 with Lugs - Order 4 Brushes			
863318	36863318	7-08-03205-1	18" - .070" Grit
863418	36863418	7-08-03173-1	18" - Wire
884118	36884118	7-08-03172-1	18" - Stiff Poly (.040")
863218	36863218	7-08-03170-1	18" - Medium Nylon (.028")
853218	36853218	7-08-03262-1	18" - Soft Nylon (.012")
894117	36894117	0772-065/066	17" - Pad Driver w/Holder

Model 772 requires 6 each sectional style brushes per disc.

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 934, 935i with Mounting Plate - Order 2 Brushes			
883317	36883317	7-08-03224-1	17" - .070" Grit
883117	36883117	7-08-03223-1	17" - Stiff Poly (.040")
864217	36864217	7-08-03225-1	17" - Medium Nylon (.028")
865217	36865217	7-08-03241-1	17" - Soft Nylon (.012")
895117	36895117	0780-202/388	17" - Pad Driver w/Holder

Models 934 and 935i require 6 each sectional style brushes per disc.

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 6200B, 6200S, 6200SS with Mounting Plate - Order 3 Brushes			
863314	36863314	7-08-03215-1	14" - .070" Grit
883114	36883114	7-08-03213-1	14" - Stiff Poly (.040")
863214	36863214	7-08-03216-1	14" - Medium Nylon (.028")
853214	36853214	7-08-03243-1	14" - Soft Nylon (.012")
894114	36894114	0772-067/068	14" - Pad Driver w/Holder

Models 6200B, 6200S, and 6200SS require 5 each sectional style brushes per disc.

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 6200H, 6200HC, 6200IC, 6700, 6700B, 6700IC with Lugs - Order 3 Brushes			
873314	36873314	0765-254	14" - .070" Grit
873114	36873114	0765-253	14" - Stiff Poly (.040")
873214	36873214	0765-252	14" - Medium Nylon (.028")
864214	36864214	0765-255	14" - Soft Nylon (.012")
864114	36864114	0772-071/072	14" - Pad Driver w/Holder

Models 6200H, 6200HC, 6200IC, 6700, 6700B, 6700IC require 5 each sectional style brushes per disc.

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 7000, 7700 with Lugs - Order 3 Brushes			
863317	36863317	7-08-03206-1	17" - .070" Grit
863417	36863417	7-08-03179-1	17" - Wire
853117	36853117	7-08-03178-1	17" - Stiff Poly (.040")
863217	36863217	7-08-03176-1	17" - Medium Nylon (.028")
853217	36853217	7-08-03242-1	17" - Soft Nylon (.012")
894117	36894117	0772-065/066	17" - Pad Driver w/Holder

Models 7000 and 7700 require 6 each sectional style brushes per disc.

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 7760 with Lugs - Order 3 Brushes			
863318	36863318	7-08-03205-1	18" - .070" Grit
863418	36863418	7-08-03173-1	18" - Wire
884118	36884118	7-08-03172-1	18" - Stiff Poly (.040")
863218	36863218	7-08-03170-1	18" - Medium Nylon (.028")
853218	36853218	7-08-03262-1	18" - Soft Nylon (.012")
894117	36894117	0772-065/066	17" - Pad Driver w/Holder

Model 7760 requires 6 each sectional style brushes per disc.

Sectional Brushes - Rotary Discount			
L250SP	36L250G70	7-08-03207	.070" Grit
L250GN	36L250G50	7-08-03197	.050" Grit
L250WI	36L250W30	7-08-03193	Wire
L250PN	36L250P40	7-08-03196	Stiff Poly (.040")
L250N	36L250N28	7-08-03194	Medium Nylon (.028")
L250	36L250N12	7-08-03248	Soft Nylon (.012")

CALL* - Call Customer Service at 1-800-654-8210.

Guarantee - All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Replacement Brushes to fit FACTORY CAT/TOMCAT SWEEPERS AND SCRUBBERS

Flo-Pac® brushes to fit Factory Cat equipment are designed and built to match industry standards for product performance. A range of bristle types are offered below, listed in order of aggressiveness.

Flo-Pac® Brushes to fit Factory Cat Sweepers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 34			
771626	36771626	4-401US	26" - 6 D.R. Union & Wire
771426	36771426	4-401	26" - 6 D.R. Proex
771526	36771526	4-401S	26" - 6 D.R. Proex & Wire
771326	36771326	4-401N	26" - 6 D.R. Nylon
771226	36771226	4-401NN	26" - 18 S.R. Nylon
771726	36771726	4-401W	26" - 6 D.R. Wire
805108	36805108	4-402	8" - 2 S.R. Poly (Side)
805208	36805208	4-402N	8" - 2 S.R. Nylon (Side)
805508	36805508	4-402S	8" - 2 S.R. Poly & Wire (Side)

Model 10 Pre-Sweep Attachment

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
772132	36772132	1-401	32" - 8 S.R. Nylon Pre-Sweep
805106	36805106	1-402	6" - 2 S.R. Poly (Side)

Flo-Pac® Brushes to fit Factory Cat Cylinder Scrubbers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 22, 2200, 2200EX - order 2 brushes			
770322	36770322	22-521S	22" - 18 S.R. .060"/46 Grit
770722	36770722	22-521G/C	22" - 18 S.R. .050"/80 Grit
770822	36770822	22-521PS	22" - 18 S.R. .022"/120 Grit
770222	36770222	22-521N	22" - 18 S.R. .012" Nylon

Models 28, 2800, 2800EX, 29 - order 2 brushes

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
770328	36770328	28-521S	28" - 18 S.R. .060"/46 Grit
770728	36770728	28-521G/C	28" - 18 S.R. .050"/80 Grit
770828	36770828	28-521PS	28" - 18 S.R. .022"/120 Grit
770228	36770228	28-521N	28" - 18 S.R. .012" Nylon

Flo-Pac® Brushes to fit Factory Cat Scrubbers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 21, 2100 - order 2 brushes			
1000GN x 4110	R100GJ50190TDFC	21-421G/C	10" - .050"/80 Grit
1444-10 x 4110	R100PE50190TDFC	21-421P	10" - .028" Poly
1524-10 x 4110 x 3522	R100XL50191TDFC	21-421D	10" - Pad Driver w/Holder
Model 23			
2100GN x 4110	R210GJ50190TDFC	23-421G/C	21" - .050"/80 Grit
1444-21 x 4110	R210PE50190TDFC	23-421P	21" - .028" Poly
1524-21 x 4110 x 3522	R210XL50191TDFC	23-421D	21" - Pad Driver w/Holder

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 48			
771632	36771632	8-401US	32" - 6 D.R. Union & Wire
771432	36771432	8-401	32" - 6 D.R. Proex
771532	36771532	8-401S	32" - 6 D.R. Proex & Wire
771332	36771332	8-401N	32" - 6 D.R. Nylon
771232	36771232	8-401NN	32" - 18 S.R. Nylon
771732	36771732	8-401W	32" - 6 D.R. Wire
805108	36805108	4-402	8" - 2 S.R. Poly (Side)
805208	36805208	4-402N	8" - 2 S.R. Nylon (Side)
805508	36805508	4-402S	8" - 2 S.R. Poly & Wire (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 35 - order 2 brushes			
770732	36770732	5-521G/C	32" - 18 S.R. .050"/80 Grit
770832	36770832	5-521PS	32" - 18 S.R. .022"/120 Grit
770232	36770232	5-521N	32" - 18 S.R. .012" Nylon

Models 38, 40, 40HD - order 2 brushes

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
770732	36770732	5-521G/C	32" - 18 S.R. .050"/80 Grit
770832	36770832	5-521PS	32" - 18 S.R. .022"/120 Grit
770232	36770232	5-521N	32" - 18 S.R. .012" Nylon
805108	36805108	4-402	8" - 2 S.R. Poly (Side)
805208	36805208	4-402N	8" - 2 S.R. Nylon (Side)
805508	36805508	4-402S	8" - 2 S.R. Poly & Wire (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 25, 2500 - order 2 brushes			
1200SP x 4110	R120GL50190TDFC	25-421SS	12" - .070"/36 Grit
1200ST x 4110	R120GK50190TDFC	25-421S	12" - .060"/46 Grit
1200GN x 4110	R120GJ50190TDFC	25-421G/C	12" - .050"/80 Grit
1200PS x 4110	R120GC50190SWFC	25-421PS	12" - .022"/120 Grit
1444-12 x 4110	R120PE50190TDFC	25-421P	12" - .028" Poly
1626-12 x 4110 x 3522	R120XS50191TDFC	25-421D	12" - Pad Driver w/Holder (No Riser)

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Brushes to fit Factory Cat Scrubbers (continued)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 27, 2700 - order 2 brushes			
13000SP x 4110	R130GL50190TDFC	27-421SS	13" - .070"/36 Grit
13000ST x 4110	R130GK50190TDFC	27-421S	13" - .060"/46 Grit
13000GN x 4110	R130GJ50190TDFC	27-421G/C	13" - .050"/80 Grit
13000PS x 4110	R130GC50190SWFC	27-421PS	13" - .022"/120 Grit
1444-13 x 4110	R130PE50190TDFC	27-421P	13" - .028" Poly
1626-13 x 4110 x 3522	R130XS50191TDFC	27-421D	13" - Pad Driver w/Holder (No Riser)

Model 29 - order 2 brushes - specify 6 or 8 point clutch plate style: 6 point 364108 or 8 point 364110

14000SP x 4108	R140GL50170TBFC	7-421SS/29-421SS	14" - .070"/36 Grit
or 4110	or R140GL50190TDFC		
14000ST x 4108	R140GK50170TBFC	7-421S/29-421S	14" - .060"/46 Grit
or 4110	or R140GK50190TDFC		
14000GN x 4108	R140GJ50170TBFC	7-421G/C/29-421G/C	14" - .050"/80 Grit
or 4110	or R140GJ50190TDFC		
14000PS x 4108	R140GC50170SVFC	7-421PS/29-421PS	14" - .022"/120 Grit
or 4110	or R140GC50190SWFC		
1444-14 x 4108	R140PE50170TBFC	7-421P/29-421P	14" - .028" Poly
or 4110	or R140PE50190TDFC		
14000WI x 4108	R140WF50170TBFC	7-421W/29-421W	14" - 30 ga. Wire
or 4110	or R140WF50190TDFC		
1626-14 x 4108	R140XS50171TBFC	7-421D/29-421D	14" - Pad Driver w/Holder
or 4110 x 3522	or R140XS50191TDFC		(No Riser)

Model 35 - order 2 brushes - specify 6 or 8 point clutch plate style: 6 point 364108 or 8 point 364110

16000SP x 4108	R160GL50170TBFC	7-521SS/35-421SS	16" - .070"/36 Grit
or 4110	or R160GL50190TDFC		
16000ST x 4108	R160GK50170TBFC	7-521S/35-421S	16" - .060"/46 Grit
or 4110	or R160GK50190TDFC		
16000GN x 4108	R160GJ50170TBFC	7-521G/C/35-421G/C	16" - .050"/80 Grit
or 4110	or R160GJ50190TDFC		
16000PS x 4108	R160GC50170SVFC	7-521PS/35-421PS	16" - .022"/120 Grit
or 4110	or R160GC50190SWFC		
1444-16 x 4108	R160PE50170TBFC	7-521P/35-421P	16" - .028" Poly
or 4110	or R160PE50190TDFC		

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 35 - order 2 brushes - specify 6 or 8 point clutch plate style: 6 point 364108 or 8 point 364110 (continued)			
16000WI x 4108	R160WF50170TBFC	7-521W/35-421W	16" - 30 ga. Wire
or 4110	or R160WF50190TDFC		
1626-16 x 4108	R160XS50171TBFC	7-521D/35-421D	16" - Pad Driver w/Holder
or 4110 x 3522	or R160XS50191TDFC		(No Riser)

Models 38, 40, 40HD, 3700 - order 2 brushes - specify 6 or 8 point clutch plate style: 6 point 364108 or 8 point 364110

18000SP x 4108	R180GL50170TBFC	5-421SS/40-421SS	18" - .070"/36 Grit
or 4110	or R180GL50190TDFC		
18000ST x 4108	R180GK50170TBFC	5-421S/40-421S	18" - .060"/46 Grit
or 4110	or R180GK50190TDFC		
18000GN x 4108	R180GJ50170TBFC	5-421G/C/40-421G/C	18" - .050"/80 Grit
or 4110	or R180GJ50190TDFC		
18000PS x 4108	R180GC50170SVFC	5-421PS/40-421PS	18" - .022"/120 Grit
or 4110	or R180GC50190SWFC		
1444-18 x 4108	R180PE50170TBFC	5-421P/40-421P	18" - .028" Poly
or 4110	or R180PE50190TDFC		
18000WI x 4108	R180WF50170TBFC	5-421W/40-421W	18" - 30 ga. Wire
or 4110	or R180WF50190TDFC		
1626-18 x 4108	R180XS50171TBFC	5-421D/40-421D	18" - Pad Driver w/Holder
or 4110 x 3522	or R180XS50191TDFC		(No Riser)

Models 52, 5100 - order 3 brushes - specify 6 or 8 point clutch plate style: 6 point 364108 or 8 point 364110

17000SP x 4108	R170GL50170TBFC	2-421SS/52-421SS	17" - .070"/36 Grit
or 4110	or R170GL50190TDFC		
17000ST x 4108	R170GK50170TBFC	2-421S/52-421S	17" - .060"/46 Grit
or 4110	or R170GK50190TDFC		
17000GN x 4108	R170GJ50170TBFC	2-421G/C/52-421G/C	17" - .050"/80 Grit
or 4110	or R170GJ50190TDFC		
17000PS x 4108	R170GC50170SVFC	2-421PS/52-421PS	17" - .022"/120 Grit
or 4110	or R170GC50190SWFC		
1444-17 x 4108	R170PE50170TBFC	2-421P/52-421P	17" - .028" Poly
or 4110	or R170PE50190TDFC		
17000WI x 4108	R170WF50170TBFC	2-421W/52-421W	17" - 30 ga. Wire
or 4110	or R170WF50190TDFC		
1626-17 x 4108	R170XS50171TBFC	2-421D/52-421D	17" - Pad Driver w/Holder
or 4110 x 3522	or R170XS50191TDFC		(No Riser)

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Replacement Brushes to fit TENNANT SWEEPERS AND SCRUBBERS

Flo-Pac® brushes to fit Tennant equipment are designed and built to match industry standards for product performance. A range of bristle types are offered below, listed in order of aggressiveness.

Flo-Pac® Brushes to fit Tennant Sweepers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 6100 (splined drive)			
700122	36700122	83031	22" - 8 S.R. Union
700422	36700422	81888	22" - 8 S.R. Proex
700922	36700922	83030	22" - 20 S.R. Proex
804107	36804107	80042	7" - 2 S.R. Poly (Side)
Models 3640, 6080 (splined drive)			
700124	36700124	80355	24" - 18 S.R. Union
700524	36700524	378802	24" - 6 D.R. Proex & Wire
700424	36700424	80058	24" - 6 D.R. Proex
804107	36804107	80042	7" - 2 S.R. Poly (Side)
Models 40, 42, 186, 1186 - see scrub attachment brushes below			
700126	36700126	28235	26" - 18 S.R. Union & Wire
700726	36700726	28660	26" - 6 D.R. Crinkle Wire
700626	36700626	28002	26" - 6 D.R. Union & Wire
700326	36700326	28006N	26" - 6 D.R. Nylon
700426	36700426	28007P	26" - 6 D.R. Proex
802108	36802108	28096P	8" - 2 S.R. Poly (Side)
802208	36802208	28096N	8" - 2 S.R. Nylon (Side)
Scrub Attachment for Models 40, 42, 186, 1186			
751326	36751326	02869	26" - 18 S.R. .050" Grit
751126	36751126	29408	26" - 24 S.R. Poly
853110	36853110	29406	10" - 4 S.R. Poly (Side)
Models 28B, 37B, 140			
700128	36700128	32856	28" - 18 S.R. Union
700328	36700328	—	28" - 6 D.R. Nylon
700428	36700428	41457	28" - 6 D.R. Proex
802107	36802107	41673	6" - 2 S.R. Poly (Side)
Model 6200 (splined drive)			
710128	36710128	383993	28" - 8 S.R. Union
710428	36710428	383487	28" - 8 S.R. Proex
710928	36710928	383992	28" - 20 S.R. Proex
804111	36804111	383753	11" - Poly (Side)
Models 36, 75, 220			
700136	36700136	10813	36" - 24 S.R. Union & Wire
700736	36700736	10745	36" - 8 D.R. Crinkle Wire
700636	36700636	10812	36" - 8 D.R. Union & Wire
700336	36700336	10741N	36" - 8 D.R. Nylon
700436	36700436	10741P	36" - 8 D.R. Proex
802413	36802413	10712K	13" - 3 S.R. Flat Wire (Side)
802213	36802213	09600N	13" - 3 S.R. Nylon (Side)
802113	36802113	09600P	13" - 3 S.R. Poly (Side)
Models 210, 215			
720536	36720536	36699	36" - 8 S.R. Proex & Wire
720436	36720436	35735	36" - 8 S.R. Proex
802208	36802208	28096N	8" - 2 S.R. Nylon (Side)
802108	36802108	28096P	8" - 2 S.R. Poly (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 235 (splined drive)			
730536	36730536	87097	36" - 8 D.R. Proex & Wire
730436	36730436	87099	36" - 8 D.R. Proex
804208	36804208	87420	8" - 2 S.R. Nylon (Side)
804108	36804108	87419	8" - 2 S.R. Poly (Side)
Models 6400, 8200, 8210 (splined drive)			
730536	36730536	87097	36" - 8 D.R. Proex & Wire
730436	36730436	87099	36" - 8 D.R. Proex
802414	36802414	59432	14" - 3 S.R. Flat Wire (Side)
802214	36802214	08013N	14" - 3 S.R. Nylon (Side)
802114	36802114	59431	14" - 3 S.R. Poly (Side)
Models 80, 85, 86, 88, 90, 91, 240EH, 242E, 540E - see scrub attachment brushes			
700142	36700142	22619	42" - 24 S.R. Union & Wire
700242	36700242	43430N	42" - 24 S.R. Nylon
700742	36700742	22075	42" - 8 D.R. Crinkle Wire
700642	36700642	22620	42" - 8 D.R. Union & Wire
700542	36700542	22643	42" - 8 D.R. Proex & Wire
700342	36700342	22071N	42" - 8 D.R. Nylon
700442	36700442	22551	42" - 8 D.R. Proex
Models 80, 85, 86, 88, 90, 91, 240EH, 242E, 540E - see scrub attachment brushes (continued)			
802413	36802413	10712K	13" - 3 S.R. Flat Wire (Side)
802213	36802213	09600N	13" - 3 S.R. Nylon (Side)
802113	36802113	09600P	13" - 3 S.R. Poly (Side)
802214	36802214	08013N	14" - 3 S.R. Nylon (Extended Reach)
Models 240, 250, 255, 260, 265, 275, 275SE, 280 - see scrub attachment brushes			
710142	36710142	53063	42" - 24 S.R. Union & Wire
710242	36710242	53070	42" - 24 S.R. Nylon
710742	36710742	53065	42" - 8 D.R. Crinkle Wire
710642	36710642	53067	42" - 8 D.R. Union & Wire
710542	36710542	53221	42" - 8 D.R. Proex & Wire
710342	36710342	53068	42" - 8 D.R. Nylon
710442	36710442	53231	42" - 8 D.R. Proex
710842	36710842	53069	42" - 5 D.R. Nylon Patrol
802413	36802413	10712K	13" - 3 S.R. Flat Wire (Side)
802213	36802213	09600N	13" - 3 S.R. Nylon (Side)
802113	36802113	09600P	13" - 3 S.R. Poly (Side)
802214	36802214	08013N	14" - 3 S.R. Nylon (Extended Reach)

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Brushes to fit Tennant Sweepers (continued)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 255-II, 275-II, 285 (splined drive) - see scrub attachment brushes			
740142	36740142	11864	42" - 24 S.R. Union & Wire
740242	36740242	11863	42" - 24 S.R. Nylon
740742	36740742	11862	42" - 8 D.R. Crinkle Wire
740542	36740542	11861	42" - 8 D.R. Proex & Wire
740342	36740342	11860	42" - 8 D.R. Nylon
802413	36802413	10712K	13" - 3 S.R. Flat Wire (Side)
802213	36802213	09600N	13" - 3 S.R. Nylon (Side)
802113	36802113	09600P	13" - 3 S.R. Poly (Side)
802214	36802214	08013N	14" - 3 S.R. Nylon (Extended Reach)

Scrub Attachment - Sweeper Models 85, 86, 90, 240, 240EH, 242E, 255, 255-II, 260, 265, 275, 275-II, 280, 285, 540E

751338	36751338	43680	38" - 24 S.R. .050" Grit
751138	36751138	43424	38" - 24 S.R. Stiff Poly
761138	36761138	43592	38" - 24 S.R. Soft Poly
853114	36853114	43148	14" - 6 S.R. Stiff Poly (Side)
863114	36863114	43593	14" - 6 S.R. Poly (Side)

When using the Scrub Attachment, a standard 8 D.R. Nylon sweeping brush should be in place.

Models 355, 355E, 385, 8400, 8410 (splined drive)

740145	36740145	54927	45" - 24 S.R. Union & Wire
740245	36740245	54922	45" - 24 S.R. Nylon
740745	36740745	59440	45" - 8 D.R. Crinkle Wire
740545	36740545	54925	45" - 8 D.R. Proex & Wire
740345	36740345	54923	45" - 8 D.R. Nylon
740445	36740445	66019	45" - 8 D.R. Proex
740845	36740845	66018	45" - 5 D.R. Nylon Patrol
802414	36802414	59432	14" - 3 S.R. Flat Wire (Side)
802214	36802214	08013N	14" - 3 S.R. Nylon (Side)
802114	36802114	59431	14" - 3 S.R. Poly (Side)

Models 6500, 6550 (splined drive)

740145	36740145	54927	45" - 24 S.R. Union & Wire
740245	36740245	54922	45" - 24 S.R. Nylon
740745	36740745	59440	45" - 8 D.R. Crinkle Wire
740545	36740545	54925	45" - 8 D.R. Proex & Wire
740345	36740345	54923	45" - 8 D.R. Nylon
740445	36740445	66019	45" - 8 D.R. Proex
740845	36740845	66018	45" - 5 D.R. Nylon Patrol
802418	36802418	51542	18" - 3 S.R. Flat Wire (Side)
802218	36802218	51021N	18" - 3 S.R. Nylon (Side)
802118	36802118	70538	18" - 3 S.R. Poly (Side)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Model 360			
710148	36710148	57557	48" - 24 S.R. Union & Wire
710248	36710248	57558	48" - 24 S.R. Nylon
710748	36710748	57552	48" - 8 D.R. Crinkle Wire
710548	36710548	57556	48" - 8 D.R. Proex & Wire
710348	36710348	57553	48" - 8 D.R. Nylon
710448	36710448	57555	48" - 8 D.R. Proex
802413	36802413	10712K	13" - 3 S.R. Flat Wire (Side)
802213	36802213	09600N	13" - 3 S.R. Nylon (Side)
802113	36802113	09600P	13" - 3 S.R. Poly (Side)

Model 365 (splined drive)

740148	36740148	13283	48" - 24 S.R. Union & Wire
740248	36740248	13281	48" - 24 S.R. Nylon
740548	36740548	13280	48" - 8 D.R. Proex & Wire
740348	36740348	13282	48" - 8 D.R. Nylon
802413	36802413	10712K	13" - 3 S.R. Flat Wire (Side)
802213	36802213	09600N	13" - 3 S.R. Nylon (Side)
802113	36802113	09600P	13" - 3 S.R. Poly (Side)

Models 92, 95

700250	36700250	52213	50" - 24 S.R. Nylon
700750	36700750	51567	50" - 8 D.R. Crinkle Wire
700550	36700550	51709	50" - 8 D.R. Proex & Wire
700350	36700350	52212/378955	50" - 8 D.R. Nylon
700450	36700450	51487	50" - 8 D.R. Proex
700850	36700850	51887	50" - 5 T.R. Nylon Patrol
802418	36802418	51542	18" - 3 S.R. Flat Wire (Side)
802218	36802218	51021N	18" - 3 S.R. Nylon (Side)
802118	36802118	70538	18" - 3 S.R. Poly (Side)

Models 97, 800, 810 (splined drive)

740250	36740250	35323	49.5" - 24 S.R. Nylon
740750	36740750	35327	49.5" - 8 D.R. Crinkle Wire
740550	36740550	35324	49.5" - 8 D.R. Proex & Wire
740350	36740350	66020	49.5" - 8 D.R. Nylon
740450	36740450	35326	49.5" - 8 D.R. Proex
740850	36740850	35336	49.5" - 4 Q.R. Nylon Patrol
802418	36802418	51542	18" - 3 S.R. Flat Wire (Side)
802218	36802218	51021N	18" - 3 S.R. Nylon (Side)
802118	36802118	70538	18" - 3 S.R. Poly (Side)

CALL* - Call Customer Service at 1-800-654-8210.

Guarantee - All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Brushes to fit Tennant Scrubbers

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 465, 1465 - order 2 brushes - includes Flo-Pac clutch plate			
893312	36893312	05730	12.5" - .060" Grit
883112	36883112	05729	12.5" - .050" Poly
884112	36884112	30240	12.5" - .036" Poly
893212	36893212	05728	12.5" - .012" Nylon
884612	36884612	30215/385949	12.5" - Pad Driver w/Holder

Models 480, 1480, 5680-800D, 5700-800D, 7100-32D - order 2 brushes - includes Flo-Pac® clutch plate

Models 8400, 8410, Max Pro 1200 - order 3 brushes - includes Flo-Pac® clutch plate			
884316	36884316	05726	16" - .060" Grit
885116	36885116	05725	16" - .050" Poly
884116	36884116	30241	16" - .036" Poly
884216	36884216	05724	16" - .012" Nylon
884616	36884616	30216/370016/397916	16" - Pad Driver w/Holder

Models 490, 1490, 5680-900D, 5700-900D, 7200D - order 2 brushes - includes Flo-Pac® clutch plate

883318	36883318	11772	18" - .060" Grit
883118	36883118	11771	18" - .036" Poly
883218	36883218	11773	18" - .012" Nylon
883618	36883618	11776/370018/397918	18" - Pad Driver w/Holder

Model 510E Pre-Sweep (splined drive)

751435	36751435	16182/363403	34.5" - 6 D.R. Proex Pre-Sweep
802107	36802107	41673	6" - 2 S.R. Poly Pre-Sweep (Side)

Models 510E, Max Pro 1000 - order 2 brushes - includes Flo-Pac® clutch plate

883320	36883320	14586/378951	20" - .060" Grit
883120	36883120	14953	20" - .036" Poly
883220	36883220	14967	20" - .012" Nylon
883620	36883620	14584/397920	20" - Pad Driver w/Holder

Model 515 Pre-Sweep (splined drive)

751435	36751435	16182/363403	34.5" - 6 D.R. Proex Poly
804108	36804108	87419	8" - 2 S.R. Poly (Side)

Model 8010 Pre-Sweep (splined drive)

741436	36741436	363868	36" - 8 S.R. Proex Poly
804108	36804108	87419	8" - 2 S.R. Poly (Side)

Model 8300 Pre-Sweep (splined drive)

740436	36740436	385935	36" - 6 D.R. Proex Poly
804108	36804108	87419	8" - 2 S.R. Poly (Side)

Models 515, 7300, 8010, 8200, 8210, 8300 - order (2) 20" brushes or (3) 16" brushes - includes Flo-Pac clutch plate

For models that require (2) 20" brushes:

883320	36883320	14586/378951	20" - .060" Grit
883120	36883120	14953	20" - .036" Poly
883220	36883220	14967	20" - .012" Nylon
883620	36883620	14584/397920	20" - Pad Driver w/Holder

For models that require (3) 16" brushes:

884316	36884316	05726	16" - .060" Grit
885116	36885116	05725	16" - .050" Poly
884116	36884116	30241	16" - .036" Poly
884216	36884216	05724	16" - .012" Nylon
884616	36884616	30216/370016/397916	16" - Pad Driver w/Holder

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 7300, 8300, MAX PRO 1000 - order 2 brushes (splined drive)			
751339	36751339	386240	39" - 20 S.R. .060" Grit
751139	36751139	386230	39" - 20 S.R. Poly
751239	36751239	386250	39" - 20 S.R. Nylon

Models 7300, 8300, MAX PRO 1200 - order 2 brushes (splined drive)

751347	36751347	386241	47" - 20 S.R. .060" Grit
751147	36751147	386231	47" - 20 S.R. Poly
751247	36751247	386251	47" - 20 S.R. Nylon

Models 520, 525, 527, 527-II - order 2 brushes

761343	36761343	56876	43" - 24 S.R. .060" Grit
751343	36751343	56879	43" - 24 S.R. .050" Grit
751143	36751143	56363	43" - 24 S.R. .026" Poly
751843	36751843	02864	43" - 24 S.R. Soft Nylon

Model 528 - order 2 main brushes (splined drive)

781343	36781343	19702	43" - 24 S.R. .060" Grit
781143	36781143	19701	43" - 24 S.R. .026" Poly
781243	36781243	19703	43" - 24 S.R. Soft Nylon
893312*	36893312	05730	12.5" - .060" Grit (Side)
884112*	36884112	30240	12.5" - .036" Poly (Side)
893212*	36893212	05728	12.5" - Soft Nylon (Side)

* Includes Flo-Pac clutch plate.

Model 530E - order 1 main brush set (splined drive)

762343*	36762343	86021	43" - .060" Grit Set
752143*	36752143	86022	43" - Poly Set
752243*	36752243	86023	43" - Soft Nylon Set
893312**	36893312	05730	12.5" - .060" Grit (Side)
894212**	36894212	50217	12.5" - Stiff Nylon (Side)
893212**	36893212	05728	12.5" - Soft Nylon (Side)

* This set includes one 24 S.R. and one 8 D.R. main brush.

** Includes Flo-Pac clutch plate.

Models 550, 550E, 1550 - order 2 main brushes

751350	36751350	75722	50" - 24 S.R. .060" Grit
751150	36751150	75718	50" - 24 S.R. Stiff Poly Blend
751250	36751250	75717	50" - 24 S.R. Soft Nylon

Model 5400-24D - order 2 brushes - includes Flo-Pac clutch plate

884311	36884311	385907	11" - .060" Grit
884111	36884111	385906	11" - .036" Poly
884211	36884211	385905	11" - .012" Nylon
884611	36884611	385908/385944	11" - Pad Driver w/Holder

Model 5400-24C - order 2 brushes (splined drive)

752324	36752324	385913	24" - 18 S.R. .050" Grit
752124	36752124	385911	24" - 18 S.R. Poly
752224	36752224	385910	24" - 18 S.R. Nylon

Model 5400-26D - order 2 brushes - includes Flo-Pac clutch plate

883312	36883312	385924	12-1/2" - .060" Grit
893112	36893112	385923	12-1/2" - .036" Poly
883212	36883212	385925	12-1/2" - .012" Nylon

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.

SWEEPER & SCRUBBER REPLACEMENT BRUSHES

Flo-Pac® Brushes to fit Tennant Scrubbers (continued)

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 5700-700C, 7100-28C, 7200 Tight Aisle - order 2 brushes (splined drive)			
752328	36752328	222306	28" - 18 S.R. .050" Grit
752128	36752128	222304	28" - 18 S.R. Poly
752228	36752228	222305	28" - 18 S.R. Nylon
Models 5680-700D, 5700-700D, 7100-28D, 7200 Tight Aisle - order 2 brushes - includes Flo-Pac® clutch plate			
883314	36883314	222322	14" - .060" Grit
884114	36884114	222320	14" - .036" Poly
883214	36883214	222321	14" - .012" Nylon
883614	36883614	222323/397914	14" - Pad Driver w/Holder
Models 5700-800C, 7100-32C - order 2 brushes (splined drive)			
752332	36752332	222309	32" - 18 S.R. .050" Grit
752132	36752132	222307	32" - 18 S.R. Poly
752232	36752232	222308	32" - 18 S.R. Nylon

Previous Flo-Pac® Part No.	New Flo-Pac® Part No.	Replaces Part No.	Description
Models 5700-900C, 7200C - order 2 brushes (splined drive)			
752336	36752336	222312	36" - 18 S.R. .050" Grit
752136	36752136	222310	36" - 18 S.R. Poly
752236	36752236	222311	36" - 18 S.R. Nylon
Model 7400 - order 2 main brushes (splined drive)			
781345	36781345	71612	45" - 24 S.R. .060" Grit
781145	36781145	71170	45" - 24 S.R. Poly
781245	36781245	71171	45" - 24 S.R. Soft Nylon
884316*	36884316	05726	16" - .060" Grit (Side)
884116*	36884116	30241	16" - .036" Poly (Side)
884216*	36884216	05724	16" - .012" Nylon (Side)

* Includes Flo-Pac clutch plate.

CALL* – Call Customer Service at 1-800-654-8210.

Guarantee – All items are manufactured from the highest quality materials and with the finest workmanship consistent with the descriptions given. They may be purchased with complete confidence and are fully guaranteed.